

TABLE 2. Poor Cluster Catalog

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_z arcmin	f_z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL001	0002.3 – 0150	3	0	0.02394	2	...	...	...	...	...	...	...	...
WBL002	0002.4 + 0455	5	3+0	0.01450	2	<i>i</i>	0000.8 + 0452	68	0.36	...	...	...	...
WBL003	0004.5 + 0803	3	0	0.01523	2	...	0002.4 + 0744	79	0.46	...	...	...	...
WBL004	0004.9 + 4645	3	3	...	...	...	...	...	...	...	...	...	...
WBL005	0011.5 + 4756	6	6	0.01191	2	<i>i</i>	...	...	...	...	...	...	...
WBL006	0011.8 + 2814	3	3	0.02342	3	...	0013.6 + 2927	53	1.44	...	...	...	...
WBL007	0015.8 + 2946	13	11+0	0.02197	11	<i>iii</i>	0013.6 + 2927	53	0.64	...	002	...	WP01
WBL008	0018.8 + 2922	3	3	0.02201	2	...	0024.4 + 3014	91	0.99	...	...	...	...
WBL009	0018.8 + 2210	11	8+0	0.01962	9	...	0014.5 + 2315	132	0.67	...	003	...	...
WBL010	0026.6 + 0234	3	3	0.01534	3	...	0032.6 + 0207	89	1.05	...	...	...	...
WBL011	0028.5 + 0453	3	0	0.04295	2	<i>i</i>	0033.8 + 0538	82	1.11	...	...	...	...
WBL012	0028.8 + 0810	3	3	0.01446	3	...	...	...	...	...	...	002	...
WBL013	0035.9 + 2916	6	5+0	0.01820	5	...	0036.3 + 2914	47	0.11	0071	...	...	...
WBL014	0036.5 + 2523	3	0	0.01539	3	<i>ii</i>	0034.4 + 2532	34	0.89	...	...	...	...
WBL015	0036.8 + 0036	3	3	0.01418	3	...	0032.6 + 0207	89	1.24	...	...	007	...
WBL016	0036.8 + 0631	4	0	0.03847	2	...	0033.8 + 0538	82	0.84	0076	...	...	...
WBL017	0040.4 + 2313	4	3+0	0.02442	2	...	...	...	...	...	...	...	...
WBL018	0044.0 + 3000	3	0	0.01706	2	...	...	...	...	...	...	...	...
WBL019	0052.1 + 2832	3	3	0.02282	2	...	0107.5 + 3212	179	1.66	...	...	...	...
WBL020	0052.5 + 3120	4	3+0	0.01957	4	...	0107.5 + 3212	179	1.11	...	...	...	...
WBL021	0053.8 – 0130	14	10+2+0	0.04527	13	<i>iii</i>	0054.6 – 0127	50	0.24	0119	...	...	...
WBL022	0055.1 + 3004	3	0	0.01693	3	...	0107.5 + 3212	179	1.14	...	...	...	...
WBL023	0056.5 + 1243	3	0	...	...	...	0055.0 + 1212	52	0.73	...	...	...	...
WBL024	0058.5 + 2952	4	2+0	0.02277	4	...	0107.5 + 3212	179	1.01	...	...	...	...
WBL025	0104.7 + 3208	8	8	0.01706	8	...	0107.5 + 3212	179	0.20	...	...	...	...
WBL026	0105.7 + 3252	3	3	0.01557	3	...	0107.5 + 3212	179	0.26	...	...	...	...
WBL027	0105.8 + 3313	4	0	0.02291	4	<i>iii</i>	0107.5 + 3212	179	0.36	...	...	...	...
WBL028	0106.4 + 3152	3	2+0	0.01708	3	<i>ii</i>	0107.5 + 3212	179	0.13	...	...	...	...
WBL029	0106.4 + 3227	3	2+0	0.01715	3	<i>ii</i>	0107.5 + 3212	179	0.11	...	...	...	...
WBL030	0107.2 + 3207	3	0	0.01732	3	...	0107.5 + 3212	179	0.04	...	...	...	...
WBL031	0108.2 + 3253	4	0	0.01730	4	...	0107.5 + 3212	179	0.23	...	...	...	...
WBL032	0110.4 + 1516	3	0	0.04425	1	...	0110.5 + 1515	58	0.04	...	...	...	...
WBL033	0110.4 – 0033	3	3	0.01798	3	...	0106.9 + 0028	100	0.81	...	010	...	...
WBL034	0112.3 + 0133	4	0	0.04260	4	<i>ii</i>	0106.9 + 0028	100	1.04	...	...	...	...
WBL035	0113.1 + 3248	3	2+0	0.01696	3	...	0107.5 + 3212	179	0.44	...	...	...	...
WBL036	0113.3 + 4629	3	3	0.01698	2	...	...	...	...	...	...	...	...
WBL037	0119.2 + 0501	4	2+0	0.00750	2	...	...	...	...	...	...	...	...
WBL038	0120.5 + 3306	22	13+2+2+0	0.01902	20	<i>iii</i>	0107.5 + 3212	179	0.97	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL039	0121.0 + 3226	3	2+0	0.01797	3	<i>ii</i>	0107.5 + 3212	179	0.96	...	...	...	...
WBL040	0121.5 + 3335	3	2+0	0.01763	3	...	0107.5 + 3212	179	1.09	...	...	...	...
WBL041	0121.8 + 3157	3	0	0.03514	3	<i>ii</i>	0107.5 + 3212	179	1.02	...	...	...	...
WBL042	0121.9 + 0942	3	0	0.00855	3	<i>ii</i>	0123.0 + 0953	70	0.28	...	...	...	WP04
WBL043	0122.3 + 0148	3	2+0	0.03233	3	...	0121.5 + 0113	71	0.51	...	014	...	...
WBL044	0122.6 + 1436	3	3	0.02146	3	...	...	...	...	...	...	...	...
WBL045	0123.0 - 0143	25	18+0	0.01802	25	<i>ii</i>	0123.6 - 0133	113	0.12	0194	...	...	...
WBL046	0123.3 + 3428	4	3+0	0.01612	4	...	0107.5 + 3212	179	1.34	...	...	010	...
WBL047	0125.1 - 0210	4	0	0.01752	4	...	0123.6 - 0133	113	0.38	0194	...	...	...
WBL048	0126.3 + 3912	3	2+0	0.02711	3	...	...	...	...	...	...	...	...
WBL049	0131.4 - 0119	3	2+0	0.01603	3	...	0123.6 - 0133	113	1.05	...	...	...	...
WBL050	0146.1 + 1016	3	3	0.01729	3	...	0144.0 + 1230	92	1.50	...	...	...	...
WBL051	0146.3 + 3447	4	4	0.01400	4	...	0150.8 + 3615	106	0.98	0262	...	...	...
WBL052	0146.9 + 2144	3	3	0.00940	2	...	...	...	...	...	020	...	...
WBL053	0148.0 + 3219	3	2+0	0.03648	2	...	0150.9 + 3050	155	0.62	...	...	...	...
WBL054	0149.7 + 3558	24	13+2+2+0	0.01583	24	...	0150.8 + 3615	106	0.20	0262	...	...	...
WBL055	0151.1 + 3623	5	4+0	0.01642	5	...	0150.8 + 3615	106	0.09	0262	...	...	...
WBL056	0152.0 + 3640	3	3	0.01797	3	...	0150.8 + 3615	106	0.28	0262	...	...	...
WBL057	0152.1 + 0509	3	0	0.01648	1	...	...	...	...	...	...	...	...
WBL058	0153.1 + 3653	3	0	0.01609	3	...	0150.8 + 3615	106	0.44	0262	...	...	...
WBL059	0153.3 + 3710	4	2+0	0.01761	4	<i>ii</i>	0150.8 + 3615	106	0.59	...	...	...	...
WBL060	0153.9 + 3248	3	3	0.01468	3	...	0150.9 + 3050	155	0.80	...	...	...	...
WBL061	0153.9 + 0525	8	4+2+0	0.01905	4	<i>ii</i>	...	...	...	...	...	...	WP06
WBL062	0157.1 + 2324	4	3+0	0.01641	1	...	...	...	...	...	...	...	...
WBL063	0159.2 + 0814	4	4	0.02575	2	...	...	...	...	...	...	...	...
WBL064	0159.8 + 2723	3	2+0	0.01630	1	...	...	...	...	...	...	...	...
WBL065	0202.5 + 3439	3	2+0	0.01487	3	...	0216.0 + 3625	135	1.45	...	...	...	...
WBL066	0205.1 + 0154	5	5	0.02318	5	...	0205.5 + 0110	65	0.68	...	...	015	...
WBL067	0215.3 + 3749	3	0	0.01705	2	...	0216.0 + 3625	135	0.63	...	...	...	...
WBL068	0216.9 + 3741	3	0	0.02142	1	...	0216.0 + 3625	135	0.57	...	...	...	...
WBL069	0219.8 + 4247	3	3	0.02088	3	...	0303.0 + 4125	431	1.13	0347	...	...	...
WBL070	0220.7 + 2516	3	0	0.01706	1	...	0226.0 + 2600	280	0.30	...	...	...	...
WBL071	0222.7 + 4144	18	5+3+2+0	0.01781	9	<i>ii</i>	0303.0 + 4125	431	1.05	0347	...	...	...
WBL072	0222.9 + 2439	3	0	0.03503	3	...	0226.0 + 2600	280	0.33	...	...	...	...
WBL073	0222.9 + 2702	5	3+0	0.03319	3	...	0226.0 + 2600	280	0.27	...	...	...	...
WBL074	0228.9 + 0103	4	2+0	0.02251	4	<i>ii</i>	0233.0 + 0124	82	0.79	...	...	...	...
WBL075	0229.1 + 0234	3	3	0.02735	2	...	0233.0 + 0124	82	1.11	...	...	...	...
WBL076	0231.2 + 3416	3	2+0	0.01213	1	...	0236.2 + 3249	101	1.06	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL077	0231.4 + 3242	5	3+0	0.01514	4	<i>ii</i>	0236.2 + 3249	101	0.60	...	...	...	...
WBL078	0232.4 + 3722	3	2+0	0.01285	3	...	0216.0 + 3625	135	1.52	...	...	...	...
WBL079	0235.2 + 0126	3	2+0	0.02175	1	...	0233.0 + 0124	82	0.39	...	...	...	...
WBL080	0235.5 + 4128	5	3+0	0.01529	1	...	0303.0 + 4125	431	0.72	...	...	...	...
WBL081	0235.7 + 0152	11	2+2+0	0.02192	7	...	0233.0 + 0124	82	0.60	...	...	...	...
WBL082	0236.7 + 1037	3	2+0	0.01192	2	...	...	...	...	...	031	...	...
WBL083	0238.3 + 0830	5	3+0	0.01962	2	...	0240.6 + 0740	116	0.52	...	...	...	...
WBL084	0240.2 + 4116	3	0	0.01716	2	...	0303.0 + 4125	431	0.60	...	...	...	...
WBL085	0240.4 + 3213	7	3+3+0	0.01484	5	...	0236.2 + 3249	101	0.63	...	...	...	...
WBL086	0247.9 + 1551	3	0	0.04225	2	<i>i</i>	...	...	...	...	...	...	...
WBL087	0250.2 - 0128	3	2+0	0.02389	2	...	0246.1 - 0045	74	1.01	...	...	...	...
WBL088	0251.3 + 4125	7	5+0	0.01838	6	...	0303.0 + 4125	431	0.31	...	...	...	AWM7
WBL089	0253.5 + 1543	5	2+0	0.03403	3	...	0254.7 + 1606	59	0.49	0397	...	...	...
WBL090	0255.0 + 0548	3	3	0.02327	3	...	0254.7 + 0555	79	0.11	0400	...	...	...
WBL091	0255.4 + 2514	3	0	0.03484	3	<i>ii</i>	...	...	...	...	...	...	...
WBL092	0305.4 - 0059	3	2+0	0.02156	2	...	0310.0 - 0130	168	0.45	...	...	...	...
WBL093	0308.0 + 3512	3	0	0.02011	2	...	0303.0 + 4125	431	0.87	...	...	...	...
WBL094	0312.9 + 3658	3	3	0.02110	2	...	0303.0 + 4125	431	0.67	...	...	...	...
WBL095	0315.1 - 0157	3	2+0	0.02757	1	...	0310.0 - 0130	168	0.48	...	...	...	...
WBL096	0315.1 - 0018	4	2+0	0.02347	3	...	0310.0 - 0130	168	0.63	...	036	...	...
WBL097	0315.9 + 4120	33	18+4+2+0	0.01733	32	<i>iii</i>	0303.0 + 4125	431	0.34	0426	...	...	...
WBL098	0317.8 - 0215	3	2+0	0.02973	2	<i>i</i>	0310.0 - 0130	168	0.74	...	037	...	...
WBL099	0318.2 - 0113	4	4	0.02116	4	<i>ii</i>	0310.0 - 0130	168	0.74	...	...	025	...
WBL100	0320.2 - 0208	3	2+0	0.02744	1	...	0310.0 - 0130	168	0.94	...	...	...	...
WBL101	0323.6 - 0048	3	0	...	...	...	0310.0 - 0130	168	1.24	...	...	...	...
WBL102	0329.6 + 0008	3	0	0.02715	2	<i>i</i>	...	...	...	...	...	...	...
WBL103	0335.1 + 0303	3	2+0	0.01926	1	...	...	...	...	...	...	...	...
WBL104	0356.8 + 0633	3	3	0.01902	1	...	...	...	...	...	...	...	...
WBL105	0358.8 + 2302	4	0	0.02268	4	...	...	...	...	...	...	...	...
WBL106	0428.8 + 7309	3	3	0.01408	1	...	0452.2 + 7305	108	0.94	...	...	...	...
WBL107	0432.7 + 7312	3	3	...	...	...	0452.2 + 7305	108	0.79	...	...	...	...
WBL108	0443.4 - 0212	3	0	0.01482	2	...	0449.3 - 0437	124	1.37	...	...	...	...
WBL109	0451.6 + 0134	3	2+0	0.02967	3	<i>ii</i>	0451.3 + 0159	47	0.54	...	...	...	...
WBL110	0456.3 - 0036	5	2+2+0	0.01497	5	...	0456.1 - 0103	76	0.36	...	...	...	...
WBL111	0507.7 - 0047	3	3	0.02630	2	...	0507.9 - 0110	46	0.52	...	...	...	...
WBL112	0513.9 + 0624	5	0	0.02471	5	<i>ii</i>	0510.0 + 0458	178	0.59	0539	...	...	...
WBL113	0517.5 + 0633	3	0	0.02949	3	...	0510.0 + 0458	178	0.83	...	...	...	...
WBL114	0519.3 + 0323	3	2+0	0.01460	3	...	0510.0 + 0458	178	0.95	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	fz	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL115	0540.4 + 6904	3	0	0.01432	3	...	...	...	...	...	...	...	...
WBL116	0612.1 + 6633	3	0	...	...	...	...	...	...	...	...	...	...
WBL117	0624.1 + 7428	3	0	0.01827	2	...	...	...	...	...	...	...	...
WBL118	0636.7 + 5318	3	3	0.03570	2	...	0628.9 + 5232	160	0.52	...	...	...	...
WBL119	0637.1 + 5012	3	0	0.01891	1	...	...	...	...	...	...	...	...
WBL120	0642.6 + 4352	3	3	0.02105	3	...	0642.2 + 4130	184	0.77	...	...	...	...
WBL121	0643.9 + 3339	3	2+0	0.01678	3	...	0647.4 + 3323	42	1.10	...	...	...	...
WBL122	0644.1 + 5117	3	3	...	...	...	0628.9 + 5232	160	0.99	...	...	...	...
WBL123	0644.3 + 8641	3	2+0	0.01549	2	...	0735.0 + 8545	95	0.79	...	...	...	...
WBL124	0645.6 + 8102	3	0	...	...	...	...	...	...	...	...	...	...
WBL125	0646.9 + 2543	4	4	0.01639	2	...	...	...	...	...	...	...	...
WBL126	0647.6 + 3332	5	5	0.01690	2	...	0647.4 + 3323	42	0.23	...	...	...	...
WBL127	0650.7 + 5027	3	3	0.01959	1	...	0700.4 + 4801	203	0.85	...	...	...	...
WBL128	0659.8 + 6407	5	3+2	0.01500	1	...	...	...	...	...	...	...	...
WBL129	0700.9 + 5406	3	0	...	...	...	0718.9 + 5412	162	0.98	...	...	...	...
WBL130	0703.5 + 4453	3	3	0.01945	1	...	0700.4 + 4801	203	0.94	...	...	...	...
WBL131	0705.3 + 4842	6	4+0	0.01942	5	...	0700.4 + 4801	203	0.31	0569	...	...	...
WBL132	0706.3 + 7152	3	0	0.01034	2	...	...	...	...	...	...	...	...
WBL133	0706.9 + 5010	13	7+3+2+0	0.01996	7	...	0700.4 + 4801	203	0.71	...	...	...	WP10
WBL134	0707.9 + 8551	6	3+0	0.00804	1	...	0735.0 + 8545	95	0.32	...	...	...	...
WBL135	0708.0 + 3944	3	2+0	...	...	...	0710.5 + 4222	104	1.55	...	...	...	...
WBL136	0708.1 + 3116	3	3	...	...	...	0706.6 + 3221	62	1.09	...	...	...	...
WBL137	0710.5 + 5504	6	4+0	...	...	...	0718.9 + 5412	162	0.55	...	...	...	...
WBL138	0717.8 + 5551	4	0	0.04040	4	...	0718.9 + 5412	162	0.62	0576	...	...	...
WBL139	0719.8 + 2134	3	2+0	...	...	...	0720.6 + 2259	79	1.09	...	...	...	...
WBL140	0722.4 + 1915	3	0	0.02305	2	<i>i</i>	0730.1 + 1858	87	1.26	...	...	...	...
WBL141	0723.7 + 3354	3	2+0	0.02609	3	<i>ii</i>	0718.6 + 3249	82	1.12	...	...	...	...
WBL142	0725.7 + 3356	3	3	0.01350	2	...	0718.6 + 3249	82	1.35	...	...	...	...
WBL143	0728.3 + 1312	4	3+0	0.02865	2	...	...	...	...	...	...	...	...
WBL144	0729.0 + 1826	3	3	...	...	...	0730.1 + 1858	87	0.41	...	...	...	...
WBL145	0732.8 + 1145	4	0	0.01678	4	...	...	...	...	...	...	...	...
WBL146	0734.0 + 5931	4	0	...	...	...	0733.4 + 6102	203	0.45	...	...	...	...
WBL147	0734.3 + 1001	3	2+0	0.02956	1	...	...	...	...	...	...	...	...
WBL148	0736.2 + 4925	3	2+0	0.02085	1	...	0739.8 + 4949	86	0.49	...	...	...	...
WBL149	0736.9 + 3221	3	3	...	...	...	...	...	...	...	...	...	...
WBL150	0742.0 + 5710	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL151	0743.1 + 5907	3	0	0.02710	2	<i>i</i>	0733.4 + 6102	203	0.67	...	...	...	...
WBL152	0744.2 + 2703	4	2+0	0.01591	3	...	0752.9 + 2833	128	1.14	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL153	0744.5 + 7428	3	3	0.01314	2	...	...	...	...	...	...	...	...
WBL154	0747.6 + 5019	3	3	0.02155	2	...	0739.8 + 4949	86	0.94	...	...	...	...
WBL155	0748.8 + 2733	4	0	0.02636	1	...	0752.9 + 2833	128	0.64	...	...	...	...
WBL156	0749.0 + 1000	3	0	...	...	...	...	...	...	...	...	...	...
WBL157	0750.4 + 0905	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL158	0750.7 + 5545	4	2+0	0.01787	2	<i>i</i>	0756.1 + 5616	94	0.58	...	...	...	...
WBL159	0752.2 + 1433	4	3+0	...	...	...	...	...	...	...	...	...	...
WBL160	0752.8 + 2702	6	3+0	0.01867	2	<i>i</i>	0752.9 + 2833	128	0.71	...	...	...	...
WBL161	0753.8 + 5649	4	0	0.01964	2	<i>i</i>	0756.1 + 5616	94	0.40	...	...	...	...
WBL162	0754.6 + 5917	3	2+0	0.01995	2	...	...	...	...	...	...	...	...
WBL163	0755.8 + 0812	6	2+0	0.03188	1	...	0755.9 + 0805	22	0.33	...	...	...	...
WBL164	0757.0 + 3958	3	3	0.02791	3	<i>ii</i>	0801.3 + 3954	53	0.92	...	...	...	...
WBL165	0757.1 + 2649	7	5+0	0.02665	2	...	0752.9 + 2833	128	0.93	...	...	...	...
WBL166	0757.9 + 5645	3	0	0.02868	1	...	0756.1 + 5616	94	0.34	...	...	...	...
WBL167	0758.1 + 5704	3	3	0.02726	1	...	0756.1 + 5616	94	0.54	...	...	...	...
WBL168	0758.3 + 2624	3	3	...	...	...	0752.9 + 2833	128	1.16	...	...	...	...
WBL169	0759.5 + 0939	9	3+2+0	0.01558	3	...	0800.0 + 0946	47	0.22	...	...	...	...
WBL170	0801.0 + 1007	5	0	0.03371	1	...	0800.0 + 0946	47	0.55	...	...	...	...
WBL171	0801.3 + 4020	4	2+2	0.04070	1	...	0801.3 + 3954	53	0.49	...	...	...	...
WBL172	0801.4 + 0847	4	0	0.01645	1	...	0800.0 + 0946	47	1.31	...	...	...	...
WBL173 ^a	0805.3 + 5758	5	0	0.02181	3	<i>iii</i>	0810.1 + 5813	48	0.86	...	...	...	...
WBL174	0807.1 + 2502	3	3	0.01396	2	...	...	...	...	...	...	...	...
WBL175	0809.2 + 5807	4	0	0.01753	2	<i>i</i>	0810.1 + 5813	48	0.19	0634	...	...	...
WBL176	0811.4 + 5825	4	2+0	0.02664	3	...	0810.1 + 5813	48	0.32	0634	...	...	...
WBL177	0814.7 + 2118	3	2+0	0.00714	3	<i>ii</i>	0819.6 + 2209	121	0.71	...	...	...	...
WBL178	0817.1 + 2114	11	6+2+0	0.01596	11	...	0819.6 + 2209	121	0.54	...	...	...	...
WBL179	0820.3 + 0427	7	4+0	...	...	...	0820.6 + 0436	31	0.32	...	...	...	...
WBL180	0821.2 + 2111	3	0	0.01766	3	...	0819.6 + 2209	121	0.51	...	...	...	...
WBL181	0821.5 - 0010	3	3	...	...	...	0820.1 - 0029	37	0.78	...	...	...	...
WBL182	0823.5 + 2304	3	3	0.01843	3	...	0819.6 + 2209	121	0.64	...	...	...	...
WBL183	0825.5 + 3036	7	6+0	0.05117	5	...	0826.2 + 3039	76	0.12	0671	...	...	...
WBL184	0830.1 + 5544	3	3	...	...	...	0822.4 + 5453	81	1.03	...	...	...	...
WBL185	0830.4 + 4139	3	2+0	...	...	...	0836.3 + 4147	154	0.43	...	...	...	...
WBL186	0831.5 + 5257	3	0	...	...	...	0829.6 + 5245	37	0.57	...	...	...	...
WBL187	0832.9 - 0249	5	0	0.02221	1	...	0832.6 - 0235	97	0.15	...	...	...	...
WBL188	0833.1 - 0146	8	5+2+0	0.03002	1	...	0832.6 - 0235	97	0.51	...	...	...	...
WBL189	0833.7 + 4140	3	0	...	...	...	0836.3 + 4147	154	0.19	...	...	...	...
WBL190	0835.2 + 2524	4	2+0	...	...	...	0837.0 + 2506	71	0.43	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_z arcmin	f_z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL191	0835.4 + 1952	3	2+0	0.01507	2	...	...	...	...	...	...	...	...
WBL192	0841.1 + 5512	4	3+0	0.02581	2	...	...	...	...	...	...	...	...
WBL193	0843.9 + 2824	3	3	0.02128	3	...	0842.3 + 2820	43	0.51	...	...	...	...
WBL194	0844.0 + 0240	3	0	...	...	...	0843.8 + 0215 <i>MD</i>	37	0.69	...	...	...	...
WBL195	0844.6 + 3751	4	2+0	0.04460	3	<i>iii</i>	...	...	...	...	...	...	...
WBL196	0845.5 + 1910	4	3+0	...	...	...	0846.3 + 1910	58	0.20	...	...	...	...
WBL197	0847.0 + 4028	4	0	...	...	...	0836.3 + 4147	154	0.94	...	...	...	...
WBL198	0848.5 + 5307	3	3	0.01927	1	...	0855.0 + 5248	101	0.61	...	...	...	...
WBL199	0859.5 + 1442	3	3	...	...	...	...	...	...	...	...	...	...
WBL200	0900.6 + 1350	4	0	...	...	...	0900.0 + 1343	37	0.29	...	...	...	...
WBL201	0901.1 + 2210	3	3	0.01037	1	...	...	...	...	...	...	...	...
WBL202	0902.5 + 1830	5	0	0.02180	2	<i>i</i>	0909.7 + 1814	178	0.58	...	...	...	...
WBL203	0903.6 + 4134	3	2+0	0.02741	1	...	...	...	...	...	...	...	...
WBL204	0906.5 + 3750	3	0	0.02298	2	...	0903.9 + 3716	53	0.87	...	...	...	...
WBL205	0906.7 + 2039	3	3	0.02939	2	<i>i</i>	0909.7 + 1814	178	0.85	...	...	...	...
WBL206	0906.9 + 5038	4	4	0.01647	3	...	0916.7 + 4952	88	1.19	...	041	...	...
WBL207	0909.3 + 3512	3	2+0	0.00678	3	...	...	...	...	...	...	...	...
WBL208	0911.6 + 3019	3	2+0	0.02298	3	...	0911.0 + 3025	55	0.18	...	042	...	...
WBL209	0912.1 + 2249	3	3	...	...	...	...	...	...	...	...	...	...
WBL210	0913.3 + 1756	6	4+0	0.02880	4	...	0909.7 + 1814	178	0.31	...	...	...	...
WBL211	0913.9 + 2934	3	3	0.03590	2	...	0911.0 + 3025	55	1.17	...	...	...	...
WBL212	0914.1 + 4211	3	3	0.00576	2	...	...	...	...	...	...	...	...
WBL213	0914.3 + 2015	10	4+3+0	0.02882	9	...	0909.7 + 1814	178	0.77	...	...	...	AWM1
WBL214	0915.4 + 2035	4	2+0	0.03049	4	...	0909.7 + 1814	178	0.91	...	...	...	...
WBL215	0916.5 + 0606	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL216	0916.5 + 3358	13	4+2+2+0	0.02365	13	...	0915.6 + 3409	47	0.34	0779	...	...	...
WBL217	0917.4 + 0113	3	2+0	0.01740	3	...	...	...	...	...	...	...	MKW01s
WBL218	0917.6 + 6429	3	3	0.00527	3	...	...	...	...	...	...	...	...
WBL219	0920.7 + 2234	5	5	0.03289	3	<i>ii</i>	0921.6 + 2354	91	0.89	...	...	...	...
WBL220	0921.1 + 0220	3	3	0.02845	2	<i>i</i>	...	...	...	...	...	...	...
WBL221	0921.2 + 4929	7	2+2+2+0	0.01141	3	...	0916.7 + 4952	88	0.56	...	...	...	...
WBL222	0923.6 + 2219	3	3	0.02591	2	...	0921.6 + 2354	91	1.09	...	...	...	...
WBL223	0924.4 + 2314	3	3	0.02500	1	...	0921.6 + 2354	91	0.61	...	...	...	...
WBL224	0924.9 + 3015	8	5+2+0	0.02658	8	<i>ii</i>	0926.5 + 3026	59	0.39	...	...	...	...
WBL225	0930.8 + 3415	3	0	0.02688	3	...	0927.2 + 3446	61	0.88	...	...	...	...
WBL226	0931.3 + 1020	3	0	0.01056	2	...	...	...	...	...	...	...	...
WBL227	0934.7 + 2325	4	3+0	0.02353	2	...	0941.7 + 2430	188	0.62	...	...	...	...
WBL228	0935.4 + 0945	3	0	0.02876	1	...	...	...	...	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL229	0935.8 + 1716	4	2+0	0.02890	2	...	0935.3 + 1701	44	0.37	...	...	...	...
WBL230	0936.8 + 0639	3	3	0.02196	1	...	...	...	...	...	...	...	...
WBL231	0938.3 + 2128	4	4	0.02440	1	...	0941.7 + 2430	188	1.00	...	...	...	...
WBL232	0938.5 + 1143	6	3+0	0.02160	2	...	0938.2 + 1130	42	0.32	...	048	...	...
WBL233	0938.5 + 2618	4	3+0	...	...	...	0941.7 + 2430	188	0.62	...	...	...	...
WBL234	0939.8 + 0431	4	4	...	...	...	...	...	...	...	...	...	...
WBL235	0940.0 + 3207	3	0	0.00492	3	...	...	...	...	...	...	...	...
WBL236	0940.3 + 3626	3	0	0.02252	3	...	0945.0 + 3441MD	111	1.08	...	...	...	...
WBL237	0940.5 + 2301	3	0	...	...	...	0941.7 + 2430	188	0.48	...	...	...	...
WBL238	0943.5 + 5439	4	3+0	...	...	...	0943.7 + 5454	49	0.31	...	...	...	...
WBL239	0943.7 + 0318	3	2+0	0.02013	2	...	...	...	...	...	...	...	...
WBL240	0945.0 + 2154	3	3	...	...	...	0941.7 + 2430	188	0.87	...	...	...	...
WBL241	0945.7 + 4417	4	0	0.01593	1	...	...	...	...	...	049	...	...
WBL242	0947.2 + 0919	3	0	0.01741	1	...	...	...	...	...	...	...	...
WBL243	0947.4 + 1300	5	3+0	0.00476	3	ii	...	...	...	...	...	...	...
WBL244	0950.6 + 0806	3	3	0.02947	2	i	...	...	...	...	...	...	...
WBL245	0953.7 + 2045	4	3+0	0.02505	2	...	0941.7 + 2430	188	1.49	...	...	...	...
WBL246	0956.9 + 1316	4	0	0.03547	1	...	...	...	...	...	...	...	...
WBL247	0957.8 + 0332	3	0	0.00698	2	...	...	...	...	...	...	...	...
WBL248	0957.9 - 0243	7	5+0	0.02040	7	...	...	...	...	...	...	...	MKW01 WP12
WBL249	1000.6 + 1222	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL250	1001.8 + 4656	3	3	...	...	...	...	...	...	...	...	...	...
WBL251	1004.0 + 1437	3	0	0.02987	1	...	1003.6 + 1443	47	0.18	...	...	...	...
WBL252	1004.3 + 1414	3	2+0	...	...	...	1003.6 + 1443	47	0.66	...	...	...	...
WBL253	1005.2 + 0032	3	3	...	...	...	1006.0 + 0014	22	0.95	...	...	...	...
WBL254	1006.6 + 5843	3	2+0	0.00724	2	...	...	...	...	...	...	...	...
WBL255	1008.8 + 5907	3	2+0	0.03039	2	...	...	...	...	...	...	...	...
WBL256	1008.9 + 0011	4	3+0	0.03354	3	...	...	...	...	...	...	043	...
WBL257	1010.3 - 0226	3	3	...	...	...	1020.4 - 0316	122	1.31	...	...	...	...
WBL258	1010.8 + 3858	9	9	0.02211	6	...	1010.5 + 3922	34	0.72	...	...	...	...
WBL259	1011.3 + 1444	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL260	1012.4 + 2122	3	3	0.02061	2	...	1014.1 + 2215	55	1.05	...	...	...	...
WBL261	1013.2 + 6031	3	0	0.03127	3	...	...	...	...	...	...	...	...
WBL262	1015.5 + 2207	3	0	0.00473	3	...	1014.1 + 2215	55	0.38	...	...	044	...
WBL263	1016.0 + 1328	3	0	0.01825	1	...	...	...	...	...	...	...	...
WBL264	1017.8 + 4314	3	3	0.02306	3	...	1019.1 + 4325MD	27	0.67	...	059	...	...
WBL265	1019.1 + 5714	4	0	0.00387	2	...	1029.3 + 5736	67	1.27	...	...	...	...
WBL266	1021.1 + 1253	3	3	...	...	...	1020.1 + 1306	34	0.58	0999	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL267	1021.6 + 1351	3	3	...	...	...	1020.1 + 1306	34	1.49	...	...	...	...
WBL268	1022.0 + 2818	3	0	0.02094	3	...	...	...	...	...	...	...	...
WBL269	1022.1 - 0037	3	3	0.03453	2	...	...	...	...	...	...	...	...
WBL270	1022.5 + 1726	7	7	0.00262	2	...	1021.8 + 1725	44	0.24	...	...	...	...
WBL271	1024.3 + 1620	5	4+0	0.03304	2	...	1021.8 + 1725	44	1.69	...	...	...	...
WBL272	1024.6 - 0304	5	2+0	0.03129	5	...	1020.4 - 0316	122	0.52	...	...	...	MKW02s
WBL273	1024.6 + 1118	3	3	0.03229	2	...	1023.8 + 1056	34	0.74	1016	...	...	...
WBL274	1025.8 + 4004	3	3	0.02925	1	...	1026.9 + 4023	73	0.31	...	...	...	...
WBL275	1027.1 + 4729	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL276	1027.6 - 0255	4	0	0.03691	4	...	1020.4 - 0316	122	0.91	...	...	...	MKW02
WBL277	1027.7 + 0728	3	3	...	...	...	...	...	...	...	...	...	...
WBL278	1028.3 - 0230	3	2+0	0.02968	3	...	1020.4 - 0316	122	1.04	...	...	...	...
WBL279	1030.6 + 1210	5	4+0	0.03418	1	...	...	...	...	...	...	...	...
WBL280	1039.0 + 0632	7	6+0	0.02271	4	<i>ii</i>	...	...	...	...	...	...	WP13
WBL281	1039.0 + 2135	3	3	0.02499	2	...	1037.4 + 2156	53	0.58	...	...	...	...
WBL282	1039.3 + 1833	3	0	...	...	...	1039.4 + 1853 <i>MD</i>	40	0.50	...	...	...	...
WBL283	1044.7 + 0731	3	3	0.02712	1	...	...	...	...	...	...	...	...
WBL284	1045.7 + 0510	4	2+2	0.02608	1	...	1045.8 + 0510	22	0.12	...	...	...	...
WBL285	1045.8 + 1855	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL286	1046.7 + 1235	3	0	0.00461	1	...	1045.8 + 1251 <i>MD</i>	22	0.96	...	...	...	...
WBL287	1047.1 + 1630	4	4	0.02169	2	...	1047.6 + 1623	25	0.43	...	...	...	...
WBL288	1047.2 + 0037	5	3+2	0.03899	5	<i>ii</i>	1046.3 + 0038	26	0.50	...	...	...	WP14
WBL289	1048.0 + 0902	3	2+0	0.08393	1	...	1049.2 + 0902	31	0.59	...	...	...	...
WBL290	1049.4 + 0404	3	3	0.01213	1	...	...	...	...	...	...	...	...
WBL291	1053.8 + 1001	3	0	0.03238	2	...	1056.9 + 0922	56	1.08	...	...	...	...
WBL292	1055.6 + 5553	3	3	0.04670	1	...	...	...	...	...	...	...	...
WBL293	1055.7 + 0452	3	0	...	...	...	...	...	...	...	...	...	...
WBL294	1056.9 + 5018	3	3	0.02413	3	...	...	...	...	...	072	...	...
WBL295	1057.9 + 1014	3	0	0.03342	2	...	1056.9 + 0922	56	0.97	1142	...	...	...
WBL296	1058.2 + 1045	6	0	0.03513	6	<i>ii</i>	1058.6 + 1049	28	0.28	1142	...	...	...
WBL297	1059.3 + 1032	4	2+0	0.03511	4	...	1058.6 + 1049	28	0.68	1142	...	...	...
WBL298	1100.8 + 0709	3	3	...	...	...	...	...	...	...	...	...	...
WBL299	1102.2 + 0433	3	3	0.02544	1	...	1106.2 + 0516	59	1.24	...	...	...	...
WBL300	1102.3 + 3015	3	0	0.02975	3	...	1105.3 + 2835	118	0.91	...	...	...	...
WBL301	1104.3 + 2853	3	0	0.03309	3	...	1105.3 + 2835	118	0.19	1185	...	...	...
WBL302	1105.4 + 1323	4	0	...	...	...	1105.2 + 1342	36	0.55	...	...	...	...
WBL303	1106.2 + 2654	3	3	0.02986	2	<i>i</i>	1105.3 + 2835	118	0.87	...	...	...	...
WBL304	1107.0 + 2202	3	3	0.03189	1	...	1105.6 + 2323	65	1.27	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL305	1107.3 + 3716	4	3+0	0.02885	4	...	1107.7 + 3610	78	0.85	...	...	...	...
WBL306	1107.3 + 0732	3	0	0.02113	1	...	...	...	...	...	...	...	...
WBL307	1107.3 + 0343	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL308	1108.0 + 0506	6	0	0.02485	2	<i>i</i>	1106.2 + 0516	59	0.47	...	...	...	...
WBL309	1108.0 + 1023	3	3	0.04340	1	...	1107.6 + 1041	45	0.42	...	...	...	...
WBL310	1108.1 + 2834	3	2+0	0.03536	3	...	1105.3 + 2835	118	0.32	1185	...	...	...
WBL311	1108.2 + 2858	8	8	0.03158	8	...	1105.3 + 2835	118	0.38	1185	...	...	...
WBL312	1109.1 + 0325	8	3+2+0	0.02983	3	...	...	...	...	...	...	...	...
WBL313	1110.0 + 2818	3	0	0.04680	3	<i>ii</i>	1105.3 + 2835	118	0.55	1185	...	...	...
WBL314	1110.1 + 2334	4	3+0	0.02115	1	...	1105.6 + 2323	65	0.97	...	...	...	...
WBL315	1110.6 + 0525	4	2+2	...	...	...	1106.2 + 0516	59	1.11	...	...	...	...
WBL316	1110.6 + 0804	4	2+0	0.02937	1	...	...	...	...	...	...	...	...
WBL317	1112.0 + 0420	5	0	...	...	...	...	...	...	...	...	...	...
WBL318	1113.6 + 2934	7	7	0.04258	6	<i>iii</i>	1115.2 + 3013	87	0.51	1213	...	...	...
WBL319	1114.3 + 1820	3	2+0	0.00299	3	...	...	...	...	...	...	...	...
WBL320	1115.6 + 2342	3	3	0.02250	2	...	1123.5 + 2256	83	1.42	...	...	...	...
WBL321	1115.6 + 5817	3	3	0.01698	2	<i>i</i>	1138.7 + 5650	275	0.74	...	...	...	...
WBL322	1117.2 + 7306	5	5	...	...	...	1112.7 + 7259	60	0.35	...	...	...	...
WBL323	1118.3 + 0046	3	0	...	...	...	...	...	...	...	...	...	...
WBL324	1118.4 + 0323	12	9+2+0	0.02394	9	<i>iii</i>	1119.7 + 0305	56	0.47	...	076	...	...
WBL325	1119.1 + 3438	7	6+0	0.03482	7	...	1117.6 + 3352	56	0.89	1228	...	...	...
WBL326	1119.6 + 2435	5	4+0	0.02704	4	...	1123.5 + 2256	83	1.35	...	...	051	...
WBL327	1120.1 + 4720	3	2+0	...	...	...	1117.0 + 4653	71	0.58	...	...	...	...
WBL328	1120.6 + 0302	3	2+0	...	...	...	1119.7 + 0305	56	0.24	...	...	...	...
WBL329	1121.8 + 0334	3	0	0.00453	3	...	1119.7 + 0305	56	0.76	...	...	...	...
WBL330	1123.9 + 3536	4	2+0	0.03401	4	...	1123.9 + 3541	62	0.08	1257	...	...	...
WBL331	1125.4 + 0816	3	3	0.02120	1	...	...	...	...	...	...	...	...
WBL332	1125.5 - 0057	3	2+0	0.04233	2	...	...	...	...	...	...	...	...
WBL333	1125.7 + 2742	3	2+0	0.03244	3	...	1125.5 + 2759	77	0.23	...	...	...	...
WBL334	1126.1 + 0921	7	7	0.02100	6	...	1126.3 + 0913	37	0.25	...	...	...	...
WBL335	1126.1 + 2103	3	3	0.02055	2	...	1123.5 + 2256	83	1.43	...	...	053	...
WBL336	1126.7 - 0127	3	3	...	...	...	...	...	...	...	...	...	...
WBL337	1130.0 - 0152	3	3	...	...	...	1141.7 - 0158	186	0.94	...	...	...	...
WBL338	1130.6 + 2003	3	3	0.03262	1	...	...	...	...	...	...	...	...
WBL339	1131.6 + 4919	4	2+0	0.03245	4	...	1131.2 + 4923	44	0.13	1314	...	...	...
WBL340	1132.9 + 5510	6	3+2+0	0.01964	6	<i>iii</i>	1138.7 + 5650	275	0.40	1318	085	...	...
WBL341	1133.8 - 0235	4	4	0.04513	3	...	1141.7 - 0158	186	0.66	...	...	...	...
WBL342	1134.3 + 2015	33	3	0.02138	2	...	1142.1 + 2126	133	0.98	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL343	1135.3 + 2214	5	4+0	0.03046	5	...	1142.1 + 2126	133	0.80	...	...	...	...
WBL344	1136.7 + 2637	3	2+0	0.02277	3	<i>ii</i>	1140.0 + 2715	46	1.29	...	...	...	...
WBL345	1137.0 + 3212	3	3	0.00896	3	<i>ii</i>	...	...	...	...	086	...	...
WBL346	1137.5 - 0036	3	3	...	...	...	1141.7 - 0158	186	0.55	...	...	...	...
WBL347	1137.7 + 1801	5	2+0	0.01131	4	...	...	...	...	...	...	...	...
WBL348	1138.8 + 2506	3	2+0	0.01225	2	...	...	...	...	...	087	...	...
WBL349	1139.3 + 1616	3	2+0	0.01052	3	<i>ii</i>	...	...	...	...	...	...	...
WBL350	1139.6 + 1035	5	5	0.02072	5	...	1138.3 + 1024	34	0.65	...	...	058	MKW10 WP16
WBL351	1140.2 + 2648	3	0	0.02986	3	...	1140.0 + 2715	46	0.58	...	...	...	...
WBL352	1141.0 + 1031	3	0	0.02010	3	...	1138.3 + 1024	34	1.19	...	...	...	...
WBL353	1141.7 + 2012	78	64+2+0	0.02202	77	<i>iii</i>	1142.1 + 2126	133	0.56	1367	...	...	...
WBL354	1141.7 + 3341	7	3+2+0	0.03129	5	...	1142.2 + 3456	109	0.69	...	...	...	...
WBL355	1142.5 - 0125	5	4+0	0.02765	3	...	1141.7 - 0158	186	0.19	...	...	...	...
WBL356	1143.6 + 3324	5	4+0	0.03299	5	...	1142.2 + 3456	109	0.87	...	...	...	...
WBL357	1144.1 + 3517	3	0	0.04805	2	<i>i</i>	1142.2 + 3456	109	0.29	...	...	...	...
WBL358	1145.8 + 1259	4	4	0.01354	4	...	...	...	...	...	...	059	...
WBL359	1146.8 - 0048	3	3	0.02075	2	...	1141.7 - 0158	186	0.55	...	...	...	...
WBL360	1147.1 - 0315	8	8	0.02735	4	<i>ii</i>	1141.7 - 0158	186	0.60	...	...	...	MKW03 WP17
WBL361	1147.6 + 5049	3	0	...	...	...	...	...	...	...	...	...	...
WBL362	1148.4 + 5642	3	2+0	0.00297	1	...	1138.7 + 5650	275	0.29	...	...	...	...
WBL363	1150.4 + 2058	4	2+0	0.02158	3	...	1142.1 + 2126	133	0.90	...	...	...	...
WBL364	1151.7 + 0953	3	0	0.03630	1	...	1151.8 + 0944	19	0.46	...	...	...	...
WBL365	1152.9 + 1215	3	3	0.02131	1	...	...	...	...	...	...	...	...
WBL366	1155.1 + 3234	3	3	0.01065	3	...	1155.0 + 3127	48	1.40	...	093	...	...
WBL367	1155.2 + 2809	3	3	0.01135	3	<i>ii</i>	1154.9 + 2806	35	0.13	...	095	...	...
WBL368	1155.7 + 2526	13	4+4+0	0.01515	10	...	1153.0 + 2522	70	0.52	...	...	...	WP19
WBL369	1157.9 + 3210	3	0	0.02620	3	...	1155.0 + 3127	48	1.18	...	...	...	...
WBL370	1159.5 + 1807	4	0	0.02305	1	...	...	...	...	...	...	...	...
WBL371	1200.9 + 1647	3	2+0	0.01839	2	<i>i</i>	...	...	...	...	...	...	...
WBL372	1201.4 + 0210	16	9+2+0	0.02018	16	<i>ii</i>	1201.3 + 0151	37	0.51	...	...	...	MKW04
WBL373	1202.1 + 3127	3	3	0.02551	3	...	1217.5 + 2915	173	1.38	...	...	...	...
WBL374	1202.2 + 2037	19	9+6+2+0	0.02309	17	...	1202.0 + 2028	54	0.18	...	098	...	WP20 WP21
WBL375	1202.4 + 1053	4	3+0	0.00844	1	...	1202.9 + 1051	39	0.18	...	...	...	...
WBL376	1203.0 + 4325	3	2+0	0.00259	1	...	1157.2 + 4332	87	0.73	...	...	...	...
WBL377	1203.4 - 0242	3	0	0.03871	2	<i>i</i>	...	...	...	...	...	...	...
WBL378	1204.0 + 2828	4	2+2	0.02867	4	...	1217.5 + 2915	173	1.06	...	...	...	MKW04s
WBL379	1204.2 + 6727	3	0	0.00847	2	...	1204.8 + 6520	149	0.85	...	...	...	...
WBL380	1204.5 + 4320	3	0	0.00264	3	<i>ii</i>	1157.2 + 4332	87	0.92	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_z arcmin	f_z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL381	1204.7 + 1713	5	3+2	0.02273	2	...	...	...	...	...	...	...	...
WBL382	1206.4 + 2931	3	0	0.01301	3	...	1217.5 + 2915	173	0.84	...	101	...	...
WBL383 ^b	1208.0 + 3941	3	0	0.01292	2	<i>i</i>	...	...	...	...	...	...	...
WBL384	1208.4 + 1810	3	2+0	0.02304	3	...	...	...	...	...	...	...	...
WBL385	1209.7 + 2927	5	4+0	0.01073	5	<i>iii</i>	1217.5 + 2915	173	0.59	...	...	061	...
WBL386	1209.8 + 1329	3	3	0.00691	3	<i>ii</i>	...	...	...	...	...	...	...
WBL387	1209.8 + 1538	3	0	0.02379	3	...	...	...	...	...	...	...	...
WBL388	1212.6 + 1348	3	0	0.00106	3	<i>ii</i>	...	...	...	...	...	...	...
WBL389	1213.0 + 2416	3	0	0.02259	3	...	1212.0 + 2409	53	0.28	...	...	...	AWM2
WBL390	1214.0 + 2411	3	0	0.02319	3	...	1212.0 + 2409	53	0.52	...	...	...	
WBL391	1215.1 + 0657	3	0	0.00495	2	...	...	...	...	...	...	...	...
WBL392	1216.8 + 0613	12	3+3+2+0	0.00704	10	<i>ii</i>	...	...	...	...	...	...	...
WBL393	1217.1 + 0803	6	0	0.01183	6	<i>iii</i>	...	...	...	...	...	...	...
WBL394	1217.2 + 2839	5	4+0	0.02671	5	<i>ii</i>	1217.5 + 2915	173	0.21	...	...	...	...
WBL395	1217.2 + 2905	4	4	0.02536	4	...	1217.5 + 2915	173	0.06	...	...	...	...
WBL396	1217.2 − 0030	3	2+0	...	...	...	1215.9 − 0036MD	31	0.66	...	...	...	...
WBL397	1217.5 + 0540	9	4+2+0	0.00827	7	<i>ii</i>	...	...	...	...	...	...	...
WBL398	1217.6 + 0853	3	3	0.02461	3	<i>ii</i>	...	...	...	...	...	...	...
WBL399	1217.6 + 2933	3	2+0	0.00261	3	...	1217.5 + 2915	173	0.11	...	...	...	...
WBL400	1218.5 + 4010	3	3	...	...	...	...	...	...	...	...	...	...
WBL401	1220.4 + 1606	3	0	0.00430	3	...	...	...	...	...	...	...	...
WBL402	1220.9 + 0621	3	3	0.02361	3	<i>ii</i>	...	...	...	...	...	...	...
WBL403	1221.2 + 0719	5	0	0.00355	5	...	...	...	...	...	...	...	...
WBL404	1221.3 + 0936	9	8+0	0.02364	8	<i>ii</i>	...	...	...	...	...	...	...
WBL405	1221.4 + 0139	3	0	...	...	...	...	...	...	...	...	...	...
WBL406	1221.9 + 0736	3	0	0.00362	3	...	...	...	...	...	...	...	...
WBL407	1223.0 − 0237	3	3	0.02518	1	...	...	...	...	...	...	...	...
WBL408	1223.9 + 0914	9	3+0	0.02183	9	<i>iii</i>	1224.1 + 0914	13	0.18	...	105	...	...
WBL409	1225.3 + 1234	3	3	0.00311	3	...	...	...	...	...	...	...	...
WBL410	1227.2 + 0816	6	3+0	0.00412	6	<i>ii</i>	...	...	...	...	...	...	...
WBL411	1229.7 + 1207	3	0	0.00307	3	<i>ii</i>	...	...	...	...	...	...	...
WBL412	1229.8 + 6637	3	3	0.04768	3	<i>ii</i>	1204.8 + 6520	149	1.14	...	...	...	...
WBL413	1230.7 + 0807	3	2+0	0.02103	3	<i>ii</i>	...	...	...	...	...	...	...
WBL414	1233.3 + 6415	3	3	...	...	...	...	...	...	...	108	...	...
WBL415	1233.5 + 2712	5	4+0	0.02538	5	...	1217.5 + 2915	173	1.42	...	109	...	...
WBL416	1235.7 + 0143	3	0	0.01162	2	<i>i</i>	...	...	...	...	...	...	...
WBL417	1236.5 + 0038	3	0	0.02316	1	...	...	...	...	...	110	...	...
WBL418	1236.8 + 2805	3	2+0	0.02367	3	...	...	...	...	...	...	...	...

TABLE 2. (continued)

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_z arcmin	f_z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL456	1333.4 + 1337	3	3	0.04264	2	...	1330.7 + 1347	47	0.85	...	121	...	...
WBL457	1333.8 + 3342	3	3	0.02498	2	...	1331.5 + 3432 <i>MD</i>	80	0.71	...	...	...	WP26
WBL458	1334.7 + 0644	4	3+0	...	...	...	...	...	...	...	...	...	...
WBL459	1336.0 + 2802	3	0	0.03522	3	<i>ii</i>	1336.4 + 2812 <i>MD</i>	32	0.35	...	...	...	...
WBL460	1336.0 + 0047	3	3	0.02270	3	...	...	...	...	...	...	...	...
WBL461 ^c	1336.9 + 3137	3	0	0.01559	2	...	1339.9 + 3030	62	1.24	...	...	...	...
WBL462	1338.9 + 0518	3	0	...	...	...	...	...	...	...	...	...	...
WBL463	1339.1 + 2328	4	3+0	0.02713	1	...	1338.4 + 2420	52	1.00	...	...	...	...
WBL464	1340.4 + 3006	5	2+0	0.04109	5	<i>ii</i>	1339.9 + 3030	62	0.39	1781	...	...	...
WBL465	1341.3 + 0408	3	2+0	0.02285	1	...	...	...	...	...	...	...	...
WBL466	1342.0 + 3011	3	2+0	0.03895	3	...	1339.9 + 3030	62	0.52	1781	...	...	...
WBL467	1343.5 + 2220	3	3	0.02725	1	...	1343.3 + 2245	34	0.73	...	...	...	...
WBL468	1345.2 + 0339	3	0	...	...	...	...	...	...	...	...	...	...
WBL469	1349.5 - 0156	3	3	0.01501	2	...	...	...	...	...	...	...	...
WBL470	1349.6 + 1420	7	2+0	0.02339	4	...	1358.7 + 1521	136	1.06	...	...	...	...
WBL471	1349.7 + 0215	5	2+0	0.03311	2	...	1348.7 + 0249	41	0.91	...	...	...	...
WBL472	1350.0 + 0234	6	4+2	0.02052	4	<i>iii</i>	1348.7 + 0249	41	0.60	...	...	...	...
WBL473	1350.1 + 2149	3	3	0.02518	1	...	1350.9 + 2142	47	0.29	...	...	...	...
WBL474	1351.4 + 3741	4	0	0.01646	2	<i>i</i>	1352.9 + 3856	124	0.63	...	...	...	...
WBL475	1351.4 + 4033	5	5	0.00806	5	...	1352.9 + 3856	124	0.79	...	...	068	...
WBL476	1351.9 + 3107	3	3	0.04210	3	...	1352.0 + 3107	30	0.06	...	...	...	...
WBL477	1353.1 + 2520	11	10+0	0.02929	3	...	1353.2 + 2508	71	0.17	...	...	069	WP28
WBL478	1354.1 + 2846	4	4	0.03543	3	...	1357.1 + 2836	73	0.56	...	...	...	WP29
WBL479	1354.7 + 1215	3	3	0.02053	3	...	...	...	...	...	...	...	...
WBL480	1355.5 + 1742	5	2+0	0.02201	1	...	1358.7 + 1521	136	1.09	...	...	...	...
WBL481	1356.0 + 0728	4	0	0.01915	2	<i>i</i>	...	...	...	...	...	...	...
WBL482	1357.0 + 2817	4	3+0	0.06830	4	<i>iii</i>	1357.1 + 2836	73	0.26	1831	...	...	...
WBL483	1358.0 - 0238	3	3	0.02531	3	<i>ii</i>	...	...	...	...	...	...	MKW05
WBL484	1359.5 - 0108	3	3	0.02476	2	...	...	...	...	...	...	...	...
WBL485	1400.2 + 3244	3	0	0.01452	1	...	1357.6 + 3244	41	0.78	...	...	...	...
WBL486	1400.3 + 0934	26	10+3+3+3+0	0.02038	23	...	1400.4 + 0949	67	0.22	...	130	...	MKW12 WP30
WBL487	1401.4 + 1558	3	0	0.02298	1	...	1358.7 + 1521	136	0.40	...	...	...	...
WBL488	1402.0 + 1632	3	2+0	0.01410	1	...	1358.7 + 1521	136	0.63	...	...	...	...
WBL489	1402.9 + 3100	3	2+0	0.02516	3	...	...	...	...	...	...	...	...
WBL490	1404.8 + 1520	3	0	0.04024	2	...	1358.7 + 1521	136	0.65	...	...	...	...
WBL491	1405.5 + 5516	3	3	0.00563	2	...	1406.4 + 5513	46	0.18	...	132	...	...
WBL492	1406.1 + 0911	3	0	0.02412	2	...	...	...	...	...	...	...	...
WBL493	1407.6 + 1750	7	6+0	0.01750	4	...	1358.7 + 1521	136	1.45	...	133	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL494	1409.9 + 1605	3	3	0.01751	2	...	1358.7 + 1521	136	1.23	...	...	...	...
WBL495	1411.4 + 0201	3	2+0	0.05457	3	<i>ii</i>	1413.8 + 0207 <i>MD</i>	38	0.95	...	...	...	...
WBL496	1412.0 + 0324	3	0	0.02629	3	...	...	...	...	...	...	...	...
WBL497	1412.6 + 0506	4	4	0.03260	3	<i>iii</i>	...	...	...	...	...	...	...
WBL498	1414.7 + 0157	3	0	0.02467	3	<i>ii</i>	1413.8 + 0207 <i>MD</i>	38	0.43	...	...	...	MKW06
WBL499	1415.5 + 0748	4	0	0.02516	2	...	1416.0 + 0752	45	0.17	...	136	...	...
WBL500	1415.9 + 2636	3	0	0.01494	3	<i>ii</i>	1424.0 + 2613	102	1.09	...	...	...	...
WBL501	1417.8 + 0410	3	0	0.00557	3	...	...	...	...	...	...	...	...
WBL502	1420.4 + 0624	3	3	...	...	...	...	...	...	...	...	...	...
WBL503	1420.9 + 4035	4	3+0	0.01848	3	...	1420.7 + 4025	35	0.30	...	...	...	...
WBL504	1422.1 + 2653	3	2+0	0.03727	3	...	1424.0 + 2613	102	0.46	...	...	...	...
WBL505	1422.8 + 2803	4	0	0.03751	4	...	1426.8 + 2947	138	0.84	...	...	...	...
WBL506	1424.3 + 1659	9	6+0	0.05196	6	<i>ii</i>	1422.0 + 1732	65	0.72	...	...	...	...
WBL507	1424.9 + 0502	4	3+0	0.02742	3	...	...	...	...	...	...	...	...
WBL508	1426.0 + 1136	4	4	0.02640	4	...	1426.4 + 1132	47	0.15	...	...	...	...
WBL509	1426.1 + 2606	7	5+0	0.01434	7	...	1424.0 + 2613	102	0.28	...	...	...	AWM3
WBL510	1427.2 + 0327	3	3	0.00605	3	...	1429.9 + 0336	25	1.64	...	...	...	...
WBL511	1428.6 + 4058	3	0	0.03390	1	...	...	...	...	...	...	...	...
WBL512	1429.5 + 0626	3	0	0.00787	3	...	...	...	...	...	...	...	...
WBL513	1429.6 + 7907	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL514	1431.3 + 0400	10	5+0	0.03008	10	<i>ii</i>	1429.9 + 0336	25	1.28	...	...	...	MKW07
WBL515	1432.8 + 4812	3	3	...	...	...	...	...	...	...	...	...	...
WBL516	1433.6 + 4856	3	2+0	0.00742	3	<i>ii</i>	...	...	...	...	...	...	...
WBL517	1436.6 + 4652	3	3	0.00746	1	...	...	...	...	...	...	...	...
WBL518	1438.3 + 0337	11	7+2+0	0.02681	10	<i>ii</i>	1438.4 + 0405	63	0.45	...	...	...	MKW08
WBL519	1439.4 + 0937	3	2+0	...	...	...	1436.0 + 0926	92	0.55	...	...	...	...
WBL520	1439.7 + 0331	3	0	0.02548	3	...	1438.4 + 0405	63	0.62	...	...	...	...
WBL521	1440.2 + 0857	4	3+0	0.03375	1	...	1436.0 + 0926	92	0.74	...	...	...	...
WBL522	1441.2 + 1125	3	3	0.03648	1	...	...	...	...	...	...	...	...
WBL523	1442.0 + 1545	3	3	...	...	...	...	...	...	...	...	...	...
WBL524	1444.5 + 1147	6	6	0.02945	5	...	1445.4 + 1125	39	0.66	...	...	...	...
WBL525	1444.5 + 1354	5	2+0	0.03757	2	<i>i</i>	1445.2 + 1356	31	0.33	...	...	...	...
WBL526	1445.1 + 0950	4	2+0	0.02836	2	...	...	...	...	...	...	...	...
WBL527	1446.1 + 3158	4	4	0.04122	4	<i>iii</i>	...	...	...	...	...	...	...
WBL528	1447.3 + 1655	6	2+0	0.03680	2	...	1448.7 + 1651	62	0.33	1983	...	...	...
WBL529	1450.3 + 0807	3	2+0	0.03548	1	...	...	...	...	...	...	...	...
WBL530	1450.5 + 0330	6	2+0	0.00526	2	...	...	...	...	...	148	...	...
WBL531	1450.6 + 1656	6	5+0	0.04428	6	...	1448.7 + 1651	62	0.45	1983	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL532	1451.4 + 0345	3	0	0.00548	3	...	...	...	...	...	148	...	...
WBL533	1451.6 + 1018	3	3	0.02874	2	...	...	...	...	...	...	...	...
WBL534	1451.7 + 0459	3	3	0.03099	2	<i>i</i>	...	...	...	...	...	...	...
WBL535	1452.6 + 1816	3	0	0.02031	2	...	1451.6 + 1855	48	0.87	1991	...	...	...
WBL536	1454.2 + 0932	3	2+0	0.02862	3	...	1454.3 + 0915	39	0.43	...	...	...	...
WBL537	1456.9 + 4839	4	4	0.03700	2	...	1456.2 + 4901	70	0.33	...	...	...	...
WBL538	1502.2 + 2839	7	6+0	0.05768	7	...	1502.0 + 2841	33	0.10	2022	...	...	...
WBL539	1502.6 + 0602	3	3	0.03163	1	...	1510.0 + 0315	176	1.14	...	...	...	...
WBL540	1502.7 + 1631	6	3+2+0	...	...	...	1504.6 + 1639	38	0.77	...	...	...	...
WBL541	1503.4 + 0600	3	2+0	...	...	...	1510.0 + 0315	176	1.09	...	...	...	...
WBL542	1503.6 + 0353	3	3	0.03597	2	...	...	...	...	...	...	...	...
WBL543	1504.5 + 1303	3	3	0.02204	2	...	...	...	...	...	...	...	...
WBL544	1504.9 + 2040	3	0	...	...	...	1459.8 + 2043	76	0.95	...	...	...	...
WBL545	1504.9 + 0705	3	2+0	0.03065	1	...	...	...	...	...	...	...	...
WBL546	1505.1 + 1627	3	0	...	...	...	1504.6 + 1639	38	0.35	...	...	...	...
WBL547	1505.5 + 0126	3	3	0.03522	2	...	1510.0 + 0315	176	0.73	...	...	...	...
WBL548	1506.1 + 1923	3	3	0.02048	1	...	1459.8 + 2043	76	1.59	...	...	...	WP32
WBL549	1507.3 + 5239	6	2+0	0.01040	3	...	1457.5 + 5415	112	1.16	...	...	...	...
WBL550	1509.0 + 0151	6	2+0	0.00673	1	...	1510.0 + 0315	176	0.49	...	...	...	...
WBL551	1509.0 + 0443	4	3+0	...	...	...	1510.0 + 0315	176	0.51	...	...	...	...
WBL552	1509.9 + 0210	3	2+0	...	...	...	1510.0 + 0315	176	0.37	...	...	...	...
WBL553	1510.0 + 0140	3	3	...	...	...	1510.0 + 0315	176	0.54	...	...	...	...
WBL554	1510.8 + 0436	7	4+2+0	0.03627	5	...	1510.0 + 0315	176	0.46	...	...	...	...
WBL555	1511.3 + 0215	3	3	...	...	...	1510.0 + 0315	176	0.36	...	...	...	...
WBL556	1512.0 + 7520	3	3	...	...	...	...	...	...	...	...	...	...
WBL557	1514.4 + 0024	3	2+0	0.06230	2	<i>i</i>	1510.0 + 0315	176	1.04	...	...	...	...
WBL558	1514.4 + 0713	8	5+0	0.03455	8	...	...	...	...	2052	...	...	...
WBL559	1515.4 + 0723	3	3	0.03498	3	...	...	...	...	2052	...	...	...
WBL560	1515.5 + 6929	3	3	0.02250	1	...	...	...	...	...	...	...	...
WBL561	1515.9 + 1308	3	2+0	0.02792	2	...	...	...	...	...	...	...	...
WBL562	1517.9 + 0341	3	2+0	0.03674	2	...	1510.0 + 0315	176	0.69	...	...	...	...
WBL563	1518.3 + 2554	3	3	...	...	...	1519.4 + 2610	80	0.28	...	...	...	...
WBL564	1519.2 + 0752	4	3+0	0.04541	4	...	1518.8 + 0747MD	32	0.23	2063	...	...	MKW03s
WBL565	1520.5 - 0113	4	3+0	0.02764	1	...	...	...	...	...	...	...	...
WBL566	1520.7 + 0847	28	21+2+0	0.03616	25	<i>ii</i>	1521.2 + 0851	50	0.16	2063	...	...	...
WBL567	1522.9 + 0459	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL568	1526.3 + 0737	4	3+0	...	...	...	...	...	...	...	...	...	...
WBL569	1526.4 + 4306	3	3	0.01868	1	...	1534.0 + 4222	121	0.78	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL570	1527.1 + 0514	3	2+0	0.03756	3	...	...	...	...	...	...	...	...
WBL571	1527.1 + 0341	3	0	0.03876	2	...	...	...	...	...	...	...	...
WBL572	1528.0 + 4253	3	2+0	0.01875	1	...	1534.0 + 4222	121	0.60	...	...	...	...
WBL573	1529.1 + 0734	7	4+0	0.03415	5	...	...	...	...	...	...	076	...
WBL574	1530.0 + 0454	4	3+0	0.03875	4	...	1530.9 + 0454	37	0.38	...	...	...	MKW09
WBL575	1530.4 + 0040	3	2+0	0.03940	1	...	1528.4 + 0049 <i>MD</i>	97	0.33	...	...	...	...
WBL576	1533.6 + 2528	5	3+0	0.03462	1	...	1534.4 + 2553	34	0.81	...	...	...	...
WBL577	1534.6 + 4340	5	5	0.01885	4	...	1534.0 + 4222	121	0.64	...	155	...	...
WBL578	1536.0 + 2625	3	2+0	...	...	...	1534.4 + 2553	34	1.15	...	...	...	...
WBL579	1537.3 + 1414	6	3+0	0.01512	2	<i>i</i>	...	...	...	...	...	...	...
WBL580	1537.4 + 2158	5	3+0	0.04151	5	...	1536.5 + 2147	70	0.24	...	...	...	...
WBL581	1538.8 + 2828	3	0	0.03201	3	...	1539.1 + 2820	53	0.16	...	...	...	...
WBL582	1539.8 + 0800	3	0	...	...	...	1540.3 + 0803 <i>MD</i>	25	0.31	...	...	...	...
WBL583	1540.4 + 2355	5	2+2+0	0.02292	1	...	...	...	...	...	...	...	...
WBL584	1541.7 + 2838	3	2+0	0.03278	3	...	1539.1 + 2820	53	0.73	...	...	...	...
WBL585	1542.0 + 4359	3	2+0	0.03730	2	...	1534.0 + 4222	121	1.08	...	...	...	...
WBL586	1543.7 + 0234	3	2+0	0.01298	2	...	...	...	...	...	...	...	...
WBL587	1543.9 + 3022	3	0	0.03158	3	...	...	...	...	...	...	...	...
WBL588	1548.1 + 4210	4	4	...	...	...	...	...	...	...	...	...	...
WBL589	1548.2 + 6936	3	3	0.03769	1	...	...	...	...	...	...	...	...
WBL590	1548.2 + 6819	3	2+0	0.02907	3	...	1546.0 + 6722	72	0.81	...	...	078	...
WBL591	1549.1 + 1202	3	0	...	...	...	1550.4 + 1243	46	0.99	...	...	...	...
WBL592	1549.6 + 7123	3	3	0.02555	1	...	...	...	...	...	...	...	...
WBL593	1551.9 + 1844	4	0	0.04705	3	<i>ii</i>	1600.4 + 1925	189	0.67	...	...	...	WP33
WBL594	1552.5 + 1107	3	0	0.04010	1	...	1552.7 + 1112	54	0.10	...	...	...	...
WBL595	1555.0 + 4201	3	2+0	0.03555	2	...	1555.1 + 4146	56	0.27	...	...	...	...
WBL596	1555.4 + 4817	5	3+0	0.01962	4	<i>ii</i>	1610.3 + 4955	149	1.18	...	160	...	...
WBL597	1555.5 + 1626	4	4	0.03546	4	<i>ii</i>	1600.4 + 1925	189	1.02	...	...	...	...
WBL598	1556.6 + 6404	3	0	0.03045	2	...	...	...	...	...	...	...	...
WBL599	1556.6 + 1505	3	3	0.03781	3	...	1600.4 + 1925	189	1.41	...	...	...	...
WBL600	1558.9 + 1539	3	2+0	0.03582	2	...	1600.4 + 1925	189	1.20	2147	...	...	...
WBL601	1559.4 + 1629	8	4+0	0.03548	8	<i>iii</i>	1600.4 + 1925	189	0.93	2147	...	...	...
WBL602	1559.9 + 1604	3	3	0.03430	3	<i>ii</i>	1600.4 + 1925	189	1.06	2147	...	...	...
WBL603	1601.3 + 1629	4	4	0.03740	4	...	1600.4 + 1925	189	0.93	2147	...	...	...
WBL604	1601.5 + 1722	3	0	0.03449	3	...	1600.4 + 1925	189	0.65	2151	...	...	...
WBL605	1602.2 + 1219	3	3	...	...	...	...	...	...	...	...	...	...
WBL606	1602.4 + 1641	5	4+0	0.03182	3	...	1600.4 + 1925	189	0.88	2147	...	...	...
WBL607	1603.2 + 1802	35	24+0	0.03648	35	...	1600.4 + 1925	189	0.49	2151	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL608	1604.8 + 5530	3	0	0.03136	1	...	1613.8 + 5632	110	0.88	...	...	...	...
WBL609	1605.3 + 1359	5	3+0	0.04179	2	<i>i</i>	1604.1 + 1407 <i>MD</i>	21	0.90	...	...	...	...
WBL610	1610.3 + 5235	3	3	0.02965	1	...	1610.3 + 4955	149	1.07	...	...	...	...
WBL611	1611.1 + 3100	3	3	0.05049	3	...	1608.5 + 3044	178	0.21	2162	...	...	WP34
WBL612	1616.0 + 3511	10	4+2+0	0.03006	10	...	1615.8 + 3505	59	0.10	...	...	...	...
WBL613	1621.3 + 0952	3	3	...	...	...	...	...	...	...	...	...	...
WBL614	1624.6 + 0315	3	2+0	0.02680	1	...	...	...	...	...	...	...	...
WBL615	1626.5 + 3257	3	3	0.03527	3	...	1626.6 + 3326	44	0.66	...	...	082	...
WBL616	1627.0 + 3939	3	3	0.02887	3	...	1625.5 + 4006	91	0.35	2199	...	...	...
WBL617	1627.0 + 4119	5	4+0	0.03162	5	...	1625.5 + 4006	91	0.82	2197	...	...	...
WBL618	1628.7 + 4050	9	5+0	0.02973	8	...	1625.5 + 4006	91	0.62	2197	...	...	...
WBL619	1629.1 + 3955	7	5+0	0.02930	7	...	1625.5 + 4006	91	0.47	2199	...	...	...
WBL620	1631.8 + 5030	3	3	0.04803	1	...	1629.7 + 5027	31	0.66	...	...	...	...
WBL621	1636.1 + 3610	3	3	0.03239	3	...	...	...	...	...	...	...	...
WBL622	1640.6 + 5756	4	4	0.01990	1	...	1638.4 + 6038	171	0.96	...	...	...	...
WBL623	1646.6 + 3558	3	3	0.03148	3	...	...	...	...	...	...	...	...
WBL624	1650.3 + 2323	3	2+0	...	...	...	1649.9 + 2343	64	0.33	...	...	...	...
WBL625	1655.7 + 2756	3	2+0	0.03369	3	...	1701.4 + 2830	91	0.91	...	...	...	AWM5 WP35
WBL626	1656.0 + 4048	3	3	...	...	...	1707.6 + 4045	167	0.79	...	...	...	...
WBL627	1656.1 + 8142	3	0	0.03790	3	...	1609.0 + 8212	98	1.06	2247	...	...	...
WBL628	1658.1 + 6834	3	0	...	...	...	1655.8 + 6844	113	0.14	...	...	...	...
WBL629	1658.6 + 2306	3	2+0	0.00960	2	...	...	...	...	...	...	...	...
WBL630	1703.3 + 4155	4	0	...	...	...	1707.6 + 4045	167	0.51	...	...	...	...
WBL631	1705.2 + 4308	3	3	0.02840	1	...	1707.6 + 4045	167	0.87	...	...	...	...
WBL632	1706.8 + 7842	3	3	0.05732	3	...	1653.9 + 7856	70	0.57	2256	...	...	...
WBL633	1711.4 + 4254	3	3	...	...	...	1707.6 + 4045	167	0.82	...	...	...	...
WBL634	1712.6 + 0828	4	4	...	...	...	...	...	...	...	...	...	...
WBL635	1712.9 + 4344	3	0	0.02743	1	...	1707.6 + 4045	167	1.13	...	...	...	...
WBL636	1714.5 + 5727	6	6	0.02904	3	...	1730.4 + 5829	145	0.97	...	...	...	...
WBL637	1715.0 + 0744	4	4	0.02241	1	...	1712.6 + 0616	48	2.17	...	...	...	...
WBL638	1720.1 + 3046	3	3	...	...	...	1722.8 + 3120	56	0.87	...	...	...	...
WBL639	1721.3 + 2342	3	3	...	...	...	1720.5 + 2345 <i>MD</i>	38	0.28	...	...	...	...
WBL640	1726.5 + 5834	4	3+0	0.02631	2	...	1730.4 + 5829	145	0.21	...	...	...	...
WBL641	1727.2 + 6005	5	3+2	0.01090	3	...	1730.4 + 5829	145	0.68	...	...	...	...
WBL642	1729.5 + 0632	4	4	...	...	...	...	...	...	...	...	...	...
WBL643	1731.7 + 4349	4	0	...	...	...	1728.5 + 4353	62	0.55	...	...	...	...
WBL644	1736.3 + 6806	7	2+0	0.02580	5	...	1745.6 + 6703	89	0.92	...	...	...	...
WBL645	1743.5 + 6736	5	3+0	...	...	...	1745.6 + 6703	89	0.39	...	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL646	1746.5 + 3404	3	3	0.02218	1	...	...	...	...	...	...	...	...
WBL647	1746.5 + 1759	3	0	...	...	...	...	...	...	...	...	...	...
WBL648	1750.6 + 2951	3	2+0	0.02059	2	<i>i</i>	1756.5 + 2904	113	0.80	...	...	...	...
WBL649	1752.5 + 1822	3	3	0.01043	1	...	1752.6 + 1842	34	0.61	...	...	...	...
WBL650	1755.3 + 6238	5	5	0.02665	4	...	1754.9 + 6230	47	0.17	...	...	...	...
WBL651	1800.9 + 2919	3	3	...	...	...	1756.5 + 2904	113	0.53	...	...	...	...
WBL652	1810.0 + 2129	7	6+0	...	...	...	1812.3 + 2237	104	0.73	...	...	...	...
WBL653	1810.5 + 2529	6	5+0	0.01531	1	...	1808.9 + 2531	71	0.31	...	...	...	...
WBL654	1811.7 + 6121	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL655	1819.0 + 3807	3	3	...	...	...	...	...	...	...	...	...	...
WBL656	1829.0 + 3419	3	0	...	...	...	1826.4 + 3410	61	0.56	...	...	...	...
WBL657	1832.3 + 3205	3	2+0	0.01835	1	...	1831.2 + 3154	37	0.49	...	...	...	...
WBL658	1834.5 + 1947	3	0	0.01581	1	...	...	...	...	...	...	...	...
WBL659	1838.3 + 4001	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL660	1849.6 + 2626	3	0	0.01383	2	...	...	...	...	...	...	...	...
WBL661	1919.6 + 4355	4	3+0	0.04799	3	<i>ii</i>	1916.8 + 4855	412	0.73	2319	...	...	...
WBL662	2009.5 + 0538	3	3	0.01752	2	...	...	...	...	...	...	...	...
WBL663	2030.5 + 0944	3	0	0.01525	3	...	...	...	...	...	...	...	...
WBL664	2035.7 + 1031	3	2+0	...	...	...	...	...	...	...	...	...	...
WBL665	2037.0 + 0153	3	0	0.01308	2	...	...	...	...	...	...	...	...
WBL666	2044.8 + 0010	7	4+0	0.01303	7	...	...	...	...	...	...	...	...
WBL667	2052.1 - 0013	3	0	...	...	...	...	...	...	...	...	...	...
WBL668	2057.8 + 0921	3	2+0	0.03112	1	...	...	...	...	...	...	...	...
WBL669	2108.7 - 0213	3	0	0.03145	2	...	...	...	...	...	...	...	...
WBL670	2109.3 + 1111	5	0	...	...	...	2110.2 + 1238	104	0.84	...	...	...	...
WBL671	2134.6 + 0013	3	3	...	...	...	...	...	...	...	...	...	...
WBL672	2149.4 + 0249	3	3	...	...	...	2149.6 + 0319	55	0.55	...	...	...	...
WBL673	2150.8 + 1519	4	4	0.02974	1	...	...	...	...	...	...	...	...
WBL674	2151.9 + 1451	3	2+0	0.02453	1	...	...	...	...	...	...	...	...
WBL675	2155.9 + 0811	3	0	...	...	...	...	...	...	...	...	...	...
WBL676	2159.1 - 0219	4	2+0	0.02660	2	...	...	...	...	...	...	...	...
WBL677	2201.0 + 1224	3	3	0.02643	2	...	...	...	...	...	...	...	...
WBL678	2212.1 + 1334	7	2+0	0.02357	3	...	2212.0 + 1326	44	0.17	...	...	...	...
WBL679	2213.2 + 3703	4	4	0.01975	4	...	2210.0 + 3745	87	0.65	...	...	...	...
WBL680	2221.6 + 3209	3	2+0	0.02200	2	...	...	...	...	...	...	...	...
WBL681	2222.0 + 3553	3	3	0.01858	3	...	2231.2 + 3732	178	0.83	...	...	...	...
WBL682	2230.6 + 3857	4	4	0.01623	3	...	2231.2 + 3732	178	0.48	...	...	...	...
WBL683 ^d	2233.8 + 3342	4	4	0.02175	4	<i>ii</i>	2231.2 + 3732	178	1.30	...	...	092	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL684	2234.8 + 3410	4	4	0.02150	4	<i>ii</i>	2231.2 + 3732	178	1.16	...	...	...	...
WBL685	2236.3 + 3511	6	3+0	0.02704	5	...	2231.2 + 3732	178	0.86	...	...	...	...
WBL686	2241.7 + 0945	3	3	0.02405	1	...	...	...	...	...	...	...	...
WBL687	2246.4 + 2719	3	3	0.03203	3	...	...	...	...	...	...	...	...
WBL688	2247.5 + 1120	6	5+0	0.02545	6	...	2247.3 + 1107	68	0.20	...	...	...	...
WBL689	2250.1 + 0052	4	3+0	0.02564	2	<i>i</i>	...	...	...	...	...	...	...
WBL690	2251.2 + 3124	3	2+0	0.01716	2	<i>i</i>	2252.6 + 3135	63	0.33	...	...	...	WP38
WBL691	2252.0 + 1958	4	0	0.02834	4	<i>iii</i>	2256.5 + 1933	102	0.67	...	...	...	...
WBL692	2255.5 + 2552	5	3+0	0.02439	3	...	2256.8 + 2445	91	0.76	...	...	...	...
WBL693	2257.2 + 3850	3	3	0.01731	1	...	...	...	...	...	...	...	...
WBL694	2257.3 + 1741	3	2+0	0.03154	1	...	...	...	...	...	...	...	...
WBL695	2259.4 + 1543	4	4	0.00696	4	...	...	...	...	...	163	...	...
WBL696	2300.8 + 1942	3	3	0.04007	2	...	2256.5 + 1933	102	0.60	...	...	...	...
WBL697	2303.5 + 0743	3	2+0	...	...	...	2259.6 + 0746	83	0.69	...	...	...	...
WBL698	2307.9 + 0717	4	3+0	0.04188	4	<i>ii</i>	2307.6 + 0713	34	0.17	...	...	...	...
WBL699	2311.9 + 3117	3	0	0.02085	1	...	...	...	...	...	...	...	...
WBL700	2312.8 + 1843	4	0	0.01648	4	...	2318.0 + 1910	107	0.73	...	...	093	WP39
WBL701	2313.2 + 2449	3	2+0	0.02703	2	...	...	...	...	...	...	...	...
WBL702	2313.9 + 1535	4	4	0.01465	3	<i>ii</i>	...	...	...	...	...	...	...
WBL703	2314.6 + 1810	4	0	0.04388	2	...	2318.0 + 1910	107	0.72	2572	...	...	...
WBL704	2315.1 + 2845	3	3	0.02382	1	...	2315.5 + 2854	69	0.14	...	...	...	...
WBL705	2315.3 + 0909	3	3	0.04206	2	...	2320.0 + 0845	189	0.39	...	...	...	...
WBL706	2315.6 + 1001	3	3	0.03620	1	...	2320.0 + 0845	189	0.53	...	...	...	WP40
WBL707	2316.1 + 1826	3	3	0.03779	2	...	2318.0 + 1910	107	0.48	2572	...	...	...
WBL708	2317.8 + 0806	3	2+0	0.01364	2	...	2320.0 + 0845	189	0.27	...	166	...	...
WBL709	2317.8 + 1558	3	2+0	0.02393	3	...	...	...	...	...	...	...	...
WBL710	2318.1 + 0755	6	3+2+0	0.01285	6	...	2320.0 + 0845	189	0.30	...	166	...	...
WBL711	2319.1 + 0109	3	0	0.02941	1	...	2316.5 + 0046	58	0.79	...	...	...	...
WBL712	2319.1 + 0838	3	0	0.01076	3	...	2320.0 + 0845	189	0.08	...	166	...	...
WBL713	2319.2 + 2649	3	3	0.01963	3	...	...	...	...	...	167	...	...
WBL714	2319.4 + 0901	3	3	0.03940	2	...	2320.0 + 0845	189	0.10	...	...	...	...
WBL715	2320.9 + 2018	3	3	0.03800	1	...	2318.0 + 1910	107	0.74	...	...	...	...
WBL716	2325.4 + 0831	3	2+0	0.02890	2	...	2320.0 + 0845	189	0.43	...	...	096	...
WBL717	2326.2 + 1702	3	3	0.02322	3	...	...	...	...	...	...	...	...
WBL718	2332.6 + 0439	3	0	...	...	...	...	...	...	...	...	...	...
WBL719	2334.0 + 2051	3	3	0.05893	3	...	2332.8 + 2027	40	0.75	2626	...	...	...
WBL720	2335.3 + 0746	3	0	0.02062	1	...	...	...	...	...	...	...	...
WBL721	2336.2 + 2644	18	9+2+0	0.03117	18	<i>iii</i>	2335.5 + 2449	181	0.64	2634	...	...	...

TABLE 2. (continued)

Name	Coordinates B1950	N_{gal}	σ_{46} Fate	z	N_z	Note	Zwicky Cluster	R_Z arcmin	f_Z	Abell	CfA	HCG	Yerkes
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)
WBL722	2339.0 + 7757	3	3	...	...	...	...	...	...	...	...	...	...
WBL723	2340.6 + 2705	4	0	0.02655	4	...	2335.5 + 2449	181	0.84	...	...	...	...
WBL724	2348.4 + 2655	9	8+0	0.02666	9	...	2335.5 + 2449	181	1.19	2666	...	...	...
WBL725	2348.7 + 0826	3	0	0.04102	3	...	2347.5 + 0707	89	0.90	...	...	...	...
WBL726	2348.7 + 1951	4	3+0	0.01394	4	<i>ii</i>	...	...	...	...	...	...	...
WBL727	2351.0 + 0738	4	3+0	0.01782	4	...	2347.5 + 0707	89	0.69	...	174	...	...
WBL728	2352.8 + 3001	5	2+0	0.02727	5	<i>iii</i>	...	...	...	...	...	...	...
WBL729	2357.0 + 4638	3	0	0.01675	1	...	2352.1 + 4718	96	0.67	...	...	...	...
WBL730	2357.6 + 3229	4	3+0	0.03284	4	...	...	...	...	...	...	...	...
WBL731	2358.1 + 2808	3	3	0.02865	3	...	...	...	...	...	...	099	...
WBL732	2358.5 + 3419	4	2+0	0.02958	2	<i>i</i>	...	...	...	...	...	...	...

^aAlso falls within contours of near Zwicky cluster 0756.1+5616, with $R_Z = 942$ arcmin and $f_Z = 1.43$.

^bThis cluster is not real by our criteria, due to the second galaxy listed in Table 3 having the wrong declination in our electronic version of the CGCG. The true declination of this galaxy is +38 37.

^cThis cluster is not real by our criteria, due to the second galaxy listed in Table 3 having the wrong declination in our electronic version of the CGCG. The true declination of this galaxy is +31 28.

^dStefan's Quintet. The single galaxy in our electronic version of the CGCG at coordinates 22 33 42 +33 43 is actually 2 galaxies, with magnitudes 14.9 and 14.4. This discrepancy with the printed CGCG has no material effect on the WBL catalog.

A Catalog of Nearby Poor Clusters of Galaxies

Richard A. White

NASA Goddard Space Flight Center, Code 631, Greenbelt, MD 20771

Mark Bliton¹

Department of Astronomy, New Mexico State University, Las Cruces, NM 88003

Suketu P. Bhavsar

Department of Physics & Astronomy, University of Kentucky, Lexington, KY 40506

Patricia Bornmann

NOAA Space Environment Center, Boulder, CO 80303

Jack O. Burns²

Department of Physics & Astronomy, University of Missouri, Columbia, MO 65211

Michael J. Ledlow

Department of Physics & Astronomy, University of New Mexico, Albuquerque, NM 87131

and

Christen Loken

Department of Physics & Astronomy, University of Missouri, Columbia, MO 65211

ABSTRACT

A catalog of 732 optically selected, nearby poor clusters of galaxies covering the entire sky north of -3° declination is presented. The poor clusters, called WBL clusters, were identified as concentrations of 3 or more galaxies with photographic magnitudes brighter than 15.7, possessing a galaxy surface overdensity of $10^{4/3}$. These criteria are consistent with those used in the identification of the original Yerkes poor clusters, and this new catalog substantially increases the sample size of such objects. These poor clusters cover the entire range of galaxy associations up to and including Abell clusters, systematically including poor and rich galaxy systems spanning over three orders of magnitude in the cluster mass function. As a result, this new catalog contains a greater diversity of richness and structures than other group catalogs, such as the Hickson or Yerkes catalogs. The information on individual galaxies includes

¹mailing address: Department of Physics & Astronomy, University of Missouri, Columbia, MO 65211

²Office of Research, University of Missouri, Columbia, MO 65211

redshifts and cross-references to other galaxy catalogs. The entries for the clusters include redshift (where available) and cross-references to other group and cluster catalogs.

Subject headings: galaxies: clusters: general — catalogs

1. Introduction

Traditionally, the study of galaxy associations has focused on rich clusters of galaxies such as the Abell clusters (Abell 1958; Abell, Corwin, & Olowin 1989). However, these clusters represent the extreme in galaxy associations, and although massive, are relatively rare. Conversely, poor clusters are less massive but more numerous, and constitute a significant fraction of the mass of the universe. As the building blocks of clusters and superclusters, poorer galaxy associations must be studied in order to understand the formation and evolution of large-scale structure in the Universe. Poor clusters are fundamental entities, but until recently, they have not received as much attention as they merit. This stems in part from a paucity of catalogs that reach, in a consistent way, out to Abell cluster distances.

There are several poor cluster catalogs in the literature which have yielded important scientific results. The CfA group catalog (Geller & Huchra 1983), based on both redshift and spatial information (thereby removing the possibility of projection effects) showed groups to be important in tracing large-scale structure. The Hickson Compact Group catalog (Hickson 1982; HCG), with its high galaxy density criterion, has proved an important resource for studying interacting galaxies. The Albert, White, & Morgan (1977; AWM), Morgan, Kayser, & White (1975; MKW) and White (1978; WP) clusters, also known as Yerkes clusters, specifically targeted poor clusters containing cD galaxies. These clusters have been studied extensively in the optical, radio, and x-ray regions of the spectrum. They possess optical structures that are a continuation of the Abell clusters to lower richness levels (Bahcall 1980), and their x-ray and radio properties show surprising similarities to the Abell clusters as well (e.g. x-ray cooling flows and tailed radio sources—Doe et al. 1995; Burns et al. 1987).

The original identifications of the Yerkes clusters were made by eye in a laborious procedure of scanning the POSS glass plates in conjunction with the Zwicky catalog (Zwicky et al. 1961-1968; CGCG). The new study presented in this paper was undertaken to create a much larger sample of clusters electronically (with galaxy overdensities similar to the Yerkes clusters), utilizing an algorithm that reproduced the human eye search.

The terms “poor galaxy cluster” and “galaxy group” have not been consistently defined or applied in the literature. Since this catalog includes galaxy associations of all richness levels (see e.g. Bhavsar 1981), we use the term “poor cluster” to describe these entries. Imposing an

arbitrary change in nomenclature, calling rich associations clusters and poor associations groups would obscure the continuous spectrum of properties possessed by these objects.

2. Techniques

The creation of the catalog employed the Turner & Gott (1976; TG) algorithm which is capable of mimicking, in a very mathematical, reproducible, and consistent way, the work of the human eye in picking out density enhancements from the POSS. We chose to apply the TG algorithm to the CGCG catalog, since this procedure accomplished our goal of identifying the majority of the Yerkes clusters. The CGCG is a compilation of galaxies and clusters, covering the sky north of -3 degrees declination. Zwicky identified galaxies to a limiting photographic magnitude, $m_{pg} = 15.7$ on the POSS photographic plates. Zwicky clusters were identified as galaxy associations containing at least 50 galaxies in the magnitude range m_{max} to $m_{max} + 3$, where m_{max} is the magnitude of the brightest cluster member. To create this poor cluster catalog, we used CGCG galaxies as faint as $m_{pg}=15.7$, which is 0.7 magnitudes deeper than previous poor cluster searches (e.g. Bhavsar 1980).

The TG algorithm begins with an assigned target factor for galaxy surface density enhancement (σ_g). Around each galaxy in the catalog it determines the smallest circular aperture on the sky, centered on the galaxy, that yields the desired σ_g . The number of additional galaxies, if any, within each aperture is also noted, which we define to be the number of “nearest neighbors.” All overlapping apertures are then merged together into a cluster. Galaxies that have no nearest neighbors and are not included within the apertures of other galaxies are considered isolated. The process is then repeated, at a larger value of σ_g , excluding all isolated galaxies. This results in a hierarchy of clusters which shows a given cluster’s fragmentation or continued integrity with increasing σ_g . A more detailed discussion of the algorithm and its operation may be found in earlier papers (TG; Bhavsar & Piggott 1983; Bhavsar 1980).

Levels of σ_g were chosen to be multiplicative factors above the average surface density of CGCG galaxies determined in the region of the galactic caps ($|b| > 40^\circ$, $\delta > 0^\circ$; 6866 galaxies/steradian). Values of σ_g were increased in intervals of $10^{1/3}$ (beginning with $10^{2/3}$) which corresponds nominally to a volume density enhancement, $\rho_g = 10^{1/2}$ (beginning with 10).

In order to reduce the role of chance line-of-sight galaxy projections creating false clusters in the catalog, we sought an enhancement level low enough to select all the MKW, AWM, and WP clusters, but no lower. The two most optimum levels were found to be $\sigma_g = 10^{4/3} \approx 21$ (σ_{21}) and $\sigma_g = 10^{5/3} \approx 46$ (σ_{46}), corresponding to $\rho_g = 100$ and 316, respectively. The σ_{21} results were used to identify the clusters, and the σ_{46} information was used both to detect regions of hierarchical subclustering and to identify a subsample of poor clusters at a higher density. Subsequent analysis has shown that projection effects play a negligible role in these poor clusters (Burns et al. 1996; Bhavsar 1980). The number of poor clusters detected at σ_{21} and σ_{46} , along with the total number

of galaxies which are members of these poor clusters, are listed in Table 1. The typical aperture radius of a 3 member cluster at σ_{21} is 0.146 degrees; at σ_{46} it is 0.099 degrees. To excellent approximation, for richer clusters, the aperture size scales with the square root of the number of members.

3. The Poor Cluster Catalog

The following selection criteria were used to create the full poor cluster catalog:

$$\sigma_g \geq 10^{4/3} = \sigma_{21}$$

$$m_{pg} \leq 15.7$$

$$N_g \geq 3,$$

where σ_g is the surface density of galaxies above the background, as defined in section 2, m_{pg} is the photographic magnitude of each galaxy as recorded in the CGCG, and N_g is the number of CGCG galaxies in each cluster. This catalog is presented in Table 2.

The electronic version of the CGCG we used has 15409 galaxies within the galactic caps. In this region, the WBL clusters contain 2245 galaxies at σ_{21} and 1159 galaxies at σ_{46} . The total area of this region is 2.24431 steradians. The area occupied by WBL clusters in this region is 0.01416 steradians at σ_{21} and 0.00346 steradians at σ_{46} . Thus the WBL clusters contain about 14.6% of the galaxies in 0.63% of the area at σ_{21} and 7.5% of the galaxies in 0.15% of the area at σ_{46} . These results make clear that this catalog contains poor clusters of high galaxy density.

The summary data for each poor cluster are presented in Table 2, and the data on individual galaxy members in Table 3. Both Tables 2 and 3 will be available in electronic form from the Astronomical Data Center (<http://adc.gsfc.nasa.gov/>). Table 4 contains a cross reference to previously used names for these poor clusters. The new clusters are designated “WBL” to represent the last names of the authors, which is consistent with IAU guidelines.

3.1. The Poor Cluster Catalog: Table 2

This table presents basic data on all 732 poor clusters. The following information is provided:

Column 1: Identification. The WBL designation of each poor cluster. Cross-references to previously used names are given in Table 4. Footnotes in this column provide additional information for the poor clusters where necessary.

Column 2: Coordinates. The right ascension and declination, equinox B1950, for the centroid of the poor cluster are listed. The centroid is determined from a luminosity weighted mean of all

member galaxies listed in the CGCG. Luminosities were computed as $L = 10^{-0.4m_{pg}}$, and used as the weight in computing the mean RA and DEC for each cluster, i.e.: $\langle RA \rangle = \frac{\sum_i (RA)_i L_i}{\sum_i L_i}$.

Column 3: Richness. The number of CGCG galaxies in each poor cluster.

Column 4: Clustering at σ_{46} . An indication of the fate of each individual galaxy at the higher density enhancement (σ_{46}). A single 0 in this column indicates that a group at σ_{21} fractured into single galaxies at σ_{46} (i.e. the galaxy apertures did not overlap). Combinations of other numbers indicate how many galaxies were in each subcluster at σ_{46} , with 0 indicating one or more isolated galaxies. For example, a cluster with 11 members and an 8+0 in this column becomes a group of 8 members with 3 isolated galaxies at σ_{46} . A cluster of 11 members and an entry of 4+3+2+0 breaks up into 3 subclusters of 4, 3, and 2 members, with 2 isolated galaxies at σ_{46} .

Columns 5-7: Poor cluster redshift. Column 5 lists a redshift for the cluster, when available, computed as an average of redshifts from the literature obtained through the NASA Extragalactic Database (NED)³. Column 6 (N_z) indicates the number of galaxy redshifts available from NED. Column 7 (Note) gives notes on the determination of the cluster redshift. If there is no note in column 7, the number of galaxy redshifts listed in column 6 were used to compute the cluster redshift in column 5. If the note is *i*, there were only two redshifts available and their values differed by more than 1500 km s^{-1} . In this case, the two galaxies may be close only in projection. The redshift given in this case is the average of the two galaxy redshifts. A note of *ii* indicates that, of the 3 or more redshifts available, one was more than 1500 km s^{-1} from the mean. After removing this discrepant redshift, a new mean was calculated, with all remaining redshifts within 1500 km s^{-1} from this new mean. A note of *iii* indicates that, of the 3 or more redshifts available, at least two discrepant redshifts were present. The redshift listed in column 7 is then the mean redshift calculated after removing only the most discrepant velocity. A value of 1500 km s^{-1} was chosen for the cutoff velocity because a “typical” poor cluster has a velocity dispersion, σ_v , $\approx 500 \text{ km s}^{-1}$ (Ledlow et al. 1996; Beers et al. 1995). This criteria is thus analogous to the standard 3σ clipping often used in the literature.

Columns 8-10: Zwicky cluster cross-correlation. Column 8 lists the Zwicky cluster containing the given WBL cluster within its contours. Column 9 (R_Z) gives the radius of the Zwicky cluster in arcmin and column 10 (f_Z) lists the distance separating the center of the Zwicky and WBL clusters, in units of the Zwicky cluster radius. The radius is that given in the CGCG, and is meant to indicate the area on the sky contained within the hand-drawn contours. Zwicky clusters are rarely spherical, so all correlations were verified by eye. Zwicky clusters are also separated into estimated distance classes, with near clusters meant to be in the redshift range $0.0 < z \leq 0.05$, and medium distant clusters in the range $0.05 < z \leq 0.1$ (CGCG). We included any near or medium distant Zwicky cluster which contained a WBL cluster within its contours. Near clusters

³The NASA/IPAC Extragalactic Database (NED) is operated by the Jet Propulsion Laboratory, California Institute of Technology, under contract with the National Aeronautics and Space Administration.

were chosen over medium distant clusters in the very few cases where a poor clusters fell within the boundaries of two Zwicky clusters of different distance classes. The letters MD attached to a Zwicky cluster name (column 8) indicate a medium distant cluster.

Column 11: Abell cluster cross-correlation. Any WBL cluster located within one corrected Abell radius (Abell et al. 1989) of a distance class 3 or nearer Abell cluster was considered associated with the Abell cluster. Additionally, NED was used to search for WBL cluster members that were also members of Abell clusters.

Column 12: CfA group cross-correlation. Associated CfA groups were identified as groups whose coordinates were within 30 arcmin of the WBL centroid.

Column 13: HCG cross-correlation. Associated Hickson compact groups were identified from information on individual galaxies obtained through NED.

Column 14: Yerkes cluster cross-correlation. The identification of WBL clusters associated with the Yerkes clusters was determined visually as a part of the development of the WBL catalog.

3.2. Poor Cluster Galaxies: Table 3

This table presents basic data on each Zwicky galaxy included as a poor cluster member. Due to the length of this table, it will only be available electronically. The following information is provided:

Column1: Identification. The WBL cluster to which the galaxy belongs.

Columns 2-3: Coordinates. The right ascension and declination of the member galaxy from the CGCG in B1950 coordinates.

Column 4: Magnitude. The apparent photographic magnitude, m_{pg} , of the galaxy from the CGCG.

Columns 5-6: Nearest neighbors. A measure of the number of nearest neighbors to the galaxy at σ_{21} (N_{21} , column 5), and σ_{46} (N_{46} , column 6). This refers to the number of neighbor galaxies falling within the aperture defining the σ_{21} or σ_{46} threshold. For a galaxy with no nearest neighbor, the aperture radius is 0.084 degrees at σ_{21} and 0.057 degrees at σ_{46} . The radius scales as $\sqrt{n+1}$, where n is the number of nearest neighbors. For an individual galaxy, the higher the number, the more it is centrally located within the poor cluster. Multiple poor cluster members with high numbers of neighbors indicate a compact cluster. Galaxies with a nearest neighbor number of zero were merged into a cluster because a nearby galaxy possessed many neighbors. The resulting large aperture ($\propto \sqrt{n+1}$) may have overlapped an isolated galaxy in some cases.

Column 7: Clustering at σ_{46} . An indication of the fate of each individual galaxy at the

higher density enhancement. A blank field indicates the galaxy became isolated (no neighbors and no overlapping apertures), and therefore was not considered a member of a cluster at σ_{46} . Galaxies with the same letters are part of the same poor cluster at σ_{46} . WBL designations for these subgroups should include this letter and indicate that it is a σ_{46} cluster.

Column 8: Galaxy redshift. The redshift of the galaxy reported in NED. Several Zwicky galaxies are actually multiple galaxies, and therefore have multiple identifications in NED. In these instances, the average of all redshifts available for the Zwicky galaxy are presented.

Column 9: Galaxy catalog cross-correlations. Cross-identifications for the galaxies from the NGC (Dreyer & Sinnott 1988), UGC (Nilson 1973), and IC (Dreyer & Sinnott 1988) catalogs obtained from NED. For entries that are actually multiple galaxies, all relevant identifications are presented.

3.3. Previous Nomenclature: Table 4

This table cross-references the names of the poor clusters presented here with previous names used in the literature. We also present a direct comparison of the WBL clusters with the Yerkes (AWM, MKW, & WP) poor clusters. We list every Yerkes poor cluster along with any corresponding WBL cluster. If there is no WBL poor cluster associated with a Yerkes cluster, we list a note detailing the reason it was not included (see notes at the end of the table).

4. Discussion

Our catalog of poor clusters contains galaxy associations that span several orders of magnitude in the cluster mass function—from very poor systems of only three Zwicky galaxies, up to and including the nearby Abell clusters. Because the number of cluster galaxies listed in Tables 2 and 3 is the number of galaxies brighter than $m_{pg} = 15.7$, it is not necessarily the total membership; fainter galaxies may also be part of these clusters. Further observations are needed to characterize each WBL cluster fully in terms of membership, galaxy morphology, velocity dispersion, etc. From an analysis of a number of the MKW and AWM clusters, Bahcall (1980) showed that these poor clusters are just lower-richness extrapolations of Abell clusters in terms of galaxy richness, galaxy density, and spiral fraction (see also Bhavsar 1981). Other subsamples of the WBL catalog indicate similar results in terms of velocity dispersion (Ledlow et al. 1996; Beers et al. 1995), radio source population (Burns et al. 1987; Doe et al. 1995), and x-ray properties (Burns et al. 1996; Doe et al. 1995; Price et al. 1991).

The WBL catalog covers the entire sky above -3° declination, or approximately 52% of the sky. The locations of all clusters are shown as dots in Figure 1. Also plotted in Fig. 1 are circles

representing the Zwicky clusters (near and medium distant classes) containing one or more WBL clusters. Figure 1 illustrates the interrelatedness of the Zwicky and WBL clusters; most (469 of 732) WBL clusters are high density galaxy concentrations within the lower density Zwicky cluster contours. Figure 2 shows the locations of WBL poor clusters within the Zwicky clusters. Although the number density of WBL clusters peaks at small radii within the Zwicky contours, most WBL clusters ($\approx 65\%$) are located beyond $\frac{1}{2}$ of a Zwicky radius. This indicates subclustering of galaxies within many Zwicky clusters. Subclustering is also displayed in Figure 3, which is a histogram of the number of WBL poor clusters contained within each Zwicky contour. Of the 245 Zwicky clusters that contain WBL poor clusters, 97 ($\approx 40\%$) contain multiple poor clusters.

Some (263) WBL clusters are found outside Zwicky clusters, as more isolated galaxy associations. In fact, there appear to be entire regions of the sky where WBL poor clusters are found, yet are devoid of Zwicky clusters (e.g. near 11^h RA, $+10^\circ$ Dec.—see Fig. 1). Additionally, many (274/504 $\approx 54\%$) of the near Zwicky clusters do not contain WBL clusters. These are generally very loose galaxy associations and are not detected at σ_{21} . Using a lower σ_g (such as $10^{1/3}$) one would detect many more of these Zwicky clusters. Also, the volume limit of the near Zwicky clusters extends beyond the limiting redshift ($z=0.03$) to which the WBL catalog is complete (see below).

Since the TG algorithm has no upper limit on its richness criterion, the nearby Abell clusters with $\delta > -3^\circ$ are also found in our catalog. This was expected and desired, since we wished not only to create a uniform sample of poor clusters but to explore their relation to the rich clusters as well. All distance class (DC) 0 and 1 clusters (a total of 19), and three of the five DC 2 clusters are detected by the algorithm. The two missing DC 2 Abell clusters have galaxy densities just below the σ_{21} detection threshold. We also detect nearly half of the DC 3 Abell clusters with $m_{10} < 15.3$. Of the 93 Abell clusters with $DC \leq 3$ and $\delta > -3^\circ$, 45 ($\approx 48\%$) contain WBL clusters. A distribution of the number density of WBL clusters within Abell clusters is shown in Figure 4, which clearly shows that, unlike the Zwicky clusters, the WBL catalog finds the cores of Abell clusters. This is expected, since Abell clusters are generally more compact than most Zwicky clusters. However, there is still evidence of possible subclustering, as a significant fraction (35%) of the Abell clusters coincident with our catalog contain multiple WBL clusters (Figure 5).

As expected, the WBL catalog also has significant overlap with other group catalogs, such as the HCG and CfA groups, but due to the differing selection algorithms there is no direct correlation. Although the cross-identifications are not listed in Table 2, the WBL catalog also detects a number of TG groups, since the same algorithm was used to find both sets of poor clusters. TG searched to much lower galaxy densities ($10^{2/3}$), and used a brighter magnitude cutoff ($m_{pg} < 14$), therefore focusing on very nearby, looser galaxy associations in the north galactic cap ($b > 40^\circ$, $\delta > 0^\circ$).

The completeness of the entire WBL catalog is difficult to determine. Certainly, the portions

of the catalog at very low galactic latitudes ($|b| < 30^\circ$) are incomplete due to obscuration by the galactic plane. Also, since there is no redshift information for a large number of the galaxies in our catalog, a discussion of completeness, and the frequency of projection effects, can only be approximate (see Burns et al. 1996 for a discussion of projection effects in a subsample of the catalog). For poor clusters without well determined mean redshifts, we estimated redshifts based on the magnitude of the brightest cluster member (m_1). We have used poor clusters from Table 2, with no redshift notes (column 8), and thus reasonably well determined redshifts, to calibrate the $m_1 - z$ relation for the remaining poor clusters. Included in this calibration are poor clusters with greater than 7 reported redshifts, containing a *iii* in column 8, which are certainly physical systems along with a few outlying galaxies. This relation, using 394 poor clusters, is shown in Figure 6. From the redshifts in Table 2 combined with the estimated redshifts for all other clusters, we have determined the volume density of the WBL catalog for $|b| > 30^\circ$. In figure 7 we show the volume density in redshift bins of $\Delta z = 0.005$. Based on this analysis, this sample is nearly volume-limited over the redshift range $0.01 < z < 0.03$. A similar result was found for a smaller sample of WBL clusters in Ledlow et al. (1996). We are employing the volume-limited portion of the WBL catalog ($|b| > 30^\circ, 0.01 < z < 0.03$) for an extensive x-ray, optical, and radio study of poor clusters.

5. Conclusions

We present a catalog of 732 optically-selected poor clusters of galaxies. These WBL poor clusters were identified as galaxy surface density enhancements in the CGCG, which cataloged galaxies brighter than photographic magnitude 15.7, and declination greater than -3 degrees. The WBL catalog covers a wide range of cluster richness, from very poor systems containing only a few galaxies, through the Yerkes poor clusters, and including many nearby Zwicky and Abell clusters. Previous analyses of the WBL clusters show a number of them contain an x-ray bright intracluster medium (Burns et al. 1996; Price et al. 1991) and interesting extragalactic radio morphologies (Burns et al. 1987; Doe et al. 1995) similar to rich clusters. WBL clusters with $|b| > 30^\circ$ are nearly volume-limited in the redshift range $0.01 < z < 0.03$ (Fig. 7), producing a subsample of ≈ 300 systems which is ideal for studying the properties of poor clusters. Taken in its entirety, the WBL catalog covers over three orders of magnitude in the cluster mass function (Burns et al. 1996) and provides an excellent sample with which to study the formation and evolution of a wide range of galaxy associations.

This work was completed with the assistance of NSF grant AST-986039 and NASA grant NAG5-6772 to J.O.B. & M.B. SPB wishes to acknowledge the Kentucky Space Grant Consortium for its support, including subgrant WKU 521781-97-02. PLB's contribution was supported by the NRAO Summer Student Program.

Shortly before this paper was submitted, the lead author, Dr. Richard A. White, passed away following a long and valiant struggle with leukemia. We, his coauthors, friends, and colleagues,

wish to dedicate this paper to Richard. His love for and devotion to astronomy continue to inspire us all.

REFERENCES

- Abell, G.O. 1958, ApJS, 3, 211
- Abell, G.O., Corwin, H.G., Jr., & Olowin, R.P. 1989, ApJS, 70, 1
- Albert, C.E., White, R.A., & Morgan, W.W. 1977, ApJ, 211, 309 (AWM)
- Bahcall, J. N. 1980, ApJ, 240, 377
- Bhavsar, S.P., & Piggott, R.G., Jr. 1983, ApJS, 52, 23
- Bhavsar, S.P. 1981, ApJ, 246, L5
- Bhavsar, S.P. 1980, ApJ, 237, 671
- Beers, T.C., Kriessler, J.R., Bird, C.M., & Huchra, J.P. 1995, AJ, 109, 874
- Burns, J.O., Hanisch, R.J., Nelson, E.R., Morrisette, K.A., & Moody, J.W. 1987, AJ, 94, 587
- Burns, J.O., Ledlow, M.J., Loken, C., Klypin, A., Voges, W., Bryan, G.L., Norman, M.L., & White, R.A. 1996, ApJ, 467, L49
- Doe, S.M., Ledlow, M.J., Burns, J.O., & White, R.A. 1995, AJ, 110, 46
- Dreyer, J.L.E., & Sinnott, R.W. 1988, NGC2000.0 (Cambridge) (NGC, IC)
- Geller, M.J., & Huchra, J.P. 1983, ApJS, 52, 61
- Hickson, P. 1982, ApJ, 255, 382
- Ledlow, M.J., Loken, C., Burns, J.O., Hill, J.M., & White, R.A. 1996, AJ, 112, 388
- Morgan, W.W., Kayser, S., & White, R.A. 1975, ApJ, 199, 545 (MKW)
- Nilson, P. 1973, Uppsala General Catalogue of Galaxies (Uppsala, Uppsala Obs. Ann.) (UGC)
- Price, R., Duric, N., Burns, J.O., & Newberry, M.V. 1991, AJ, 102, 14
- Turner, E.L., & Gott, J.R. 1976, ApJS, 32, 409 (TG)
- White, R.A. 1978, ApJ, 226, 591 (WP)
- Zwicky, F., Herzog, E., Karpowicz, M., Kowal, C.T., & Wild, P. 1961-1968, Catalogue of Galaxies & Clusters of Galaxies (Caltech, Pasadena) (CGCG)

Table 1. Poor Cluster Statistics at Various Surface Densities

Galaxy Surface Density	N_3^a	N_4^a	N_5^a	N_6^a	N_7^a	N_8^a	N_9^a	$N_{>9}^a$	N_{tot}^b	G_{tot}^c
σ_{21}	446	127	54	31	25	10	9	30	732	3324
σ_{46}	262	61	23	15	6	6	6	12	391	1691

^a N_i = number of poor clusters containing i Zwicky galaxies

^b N_{tot} = number of poor clusters with ≥ 3 Zwicky galaxies

^c G_{tot} = number of Zwicky galaxies in poor clusters

Table 3. Poor Cluster Galaxies (sample)

Name	RA	Dec	m_{pg}	N_{21}	N_{46}	σ_{46}	Fate	z	Other names
(1)	B1950 (2)	B1950 (3)	(4)	(5)	(6)	(7)	(8)	(9)	
WBL214–001	09 15 06	+20 41	15.6	0	0	...	0.03031	...	
WBL214–002	09 15 24	+20 35	15.7	3	1	A	0.03185	...	
WBL214–003	09 15 30	+20 28	15.5	0	0	...	0.02788	...	
WBL214–004	09 15 36	+20 37	15.7	1	1	A	0.03193	...	
WBL215–001	09 16 18	+06 06	14.9	1	1	A	...	...	
WBL215–002	09 16 30	+06 06	15.5	2	1	A	...	...	
WBL215–003	09 16 54	+06 06	15.7	1	0	...	...	...	
WBL216–001	09 15 18	+33 46	15.6	0	0	...	0.02401	...	
WBL216–002	09 15 18	+34 04	15.6	1	1	A	0.02220	...	
WBL216–003	09 15 30	+34 04	15.6	1	1	A	0.02414	...	
WBL216–004	09 16 12	+34 04	15.6	10	1	B	0.02341		NGC2827 IC2460
WBL216–005	09 16 12	+34 13	15.7	0	0	...	0.02366		NGC2823 UGC04935
WBL216–006	09 16 18	+33 57	15.3	12	0	C	0.02659		NGC2825
WBL216–007	09 16 24	+33 50	14.6	0	0	...	0.02473		NGC2826 UGC04939
WBL216–008	09 16 30	+34 05	15.7	10	1	B	0.02166		NGC2828
WBL216–009	09 16 42	+33 57	15.4	8	3	C	0.02037		NGC2830 UGC04941
WBL216–010	09 16 48	+33 58	13.3	8	2	C	0.02096		NGC2832 UGC04942
WBL216–011	09 16 54	+34 08	15.6	1	0	...	0.02475		NGC2833
WBL216–012	09 17 00	+33 55	15.6	8	2	C	0.02351		NGC2834
WBL216–013	09 17 36	+33 52	15.3	0	0	...	0.02743		NGC2839
WBL217–001	09 17 18	+01 09	15.4	2	1	A	0.01778	...	
WBL217–002	09 17 24	+01 08	15.5	2	1	A	0.01724	...	
WBL217–003	09 17 30	+01 15	14.1	0	0	...	0.01718		UGC04956
WBL218–001	09 17 06	+64 28	14.0	2	2	A	0.00544		NGC2814
WBL218–002	09 17 30	+64 27	15.1	2	2	A	0.00512		NGC2820 IC2458
WBL218–003	09 17 48	+64 29	13.1	2	2	A	0.00525		NGC2820 UGC04961

Table 4. Old Poor Cluster Designations Used in the Literature

Old Name	New Name
AWM1	WBL213
AWM2	WBL389
AWM3	WBL509
AWM4	a,b
AWM5	WBL625
AWM6	b
AWM7	WBL088
MKW01	WBL248
MKW02	WBL276
MKW03	WBL360
MKW04	WBL372
MKW05	WBL483
MKW06	WBL498
MKW07	WBL514
MKW08	WBL518
MKW09	WBL574
MKW10	WBL350
MKW11	WBL447
MKW12	WBL486
MKW01s	WBL217
MKW02s	WBL272
MKW03s	WBL564
MKW04s	WBL378
WP01	WBL007
WP02	c
WP03	c
WP04	WBL042
WP05	c
WP06	WBL061
WP07	c
WP08	c
WP09	c
WP10	WBL133
WP11	c
WP12	WBL248
WP13	WBL280

Table 4—Continued

Old Name	New Name
WP14	WBL288
WP15	c
WP16	WBL350
WP17	WBL360
WP18	b
WP19	WBL368
WP20	WBL374
WP21	WBL374
WP22	WBL430
WP23	c
WP24	c
WP25	b
WP26	WBL457
WP27	b
WP28	WBL477
WP29	WBL478
WP30	WBL486
WP31	b
WP32	WBL548
WP33	WBL593
WP34	WBL611
WP35	WBL625
WP36	c
WP37	c
WP38	WBL690
WP39	WBL700
WP40	WBL706
WP41	b
WP42	c
K103	WBL312
K131	WBL472
K140	WBL499
K179	WBL226
K30	WBL288
K315	WBL438
K36	WBL323

Table 4—Continued

Old Name	New Name
N34-169	WBL210
N34-170	WBL234
N34-171	WBL622
N34-172	WBL248
N34-173	WBL650
N34-175	WBL636
N45-273	WBL205
N45-280	WBL222
N45-281	WBL223
N45-285	WBL230
N45-300	WBL257
N45-302	WBL269
N45-309	WBL550
N45-342	WBL206
N45-346	WBL231
N45-348	WBL234
N45-351	WBL245
N45-353	WBL256
N45-356	WBL551
N45-358	WBL565
N45-360	WBL574
N45-361	WBL588
N45-363	WBL597
N45-365	WBL622
N45-366	WBL219
N45-367	WBL243
N45-368	WBL248
N45-371	WBL322
N45-376	WBL210
N45-377	WBL232
N45-379	WBL579
N45-381	WBL554
N45-382	WBL573
N45-383	WBL619
N45-384	WBL224
N45-388	WBL213

Table 4—Continued

Old Name	New Name
N45-389	WBL612
N45-391	WBL566
N56-296	WBL298
N56-297	WBL299
N56-306	WBL336
N56-308	WBL346
N56-329	WBL522
N56-332	WBL533
N56-336	WBL539
N56-338	WBL542
N56-339	WBL543
N56-343	WBL548
N56-355	WBL287
N56-359	WBL341
N56-361	WBL497
N56-365	WBL537
N56-366	WBL588
N56-367	WBL271
N56-368	WBL279
N56-369	WBL288
N56-371	WBL355
N56-373	WBL576
N56-374	WBL577
N56-381	WBL524
N56-385	WBL540
N56-387	WBL270
N56-388	WBL280
N56-391	WBL312
N56-392	WBL360
N56-393	WBL258
N56-394	WBL514
N56-395	WBL518
N56-396	WBL324
N67-238	WBL419
N67-244	WBL303
N67-245	WBL304

Table 4—Continued

Old Name	New Name
N67-300	WBL358
N67-309	WBL508
N67-310	WBL527
N67-311	WBL326
N67-312	WBL350
N67-317	WBL435
N67-318	WBL472
N67-320	WBL318
N67-321	WBL325
N67-322	WBL334
N67-323	WBL430
N67-325	WBL493
N67-326	WBL509
N67-328	WBL311
N67-329	WBL450
N67-330	WBL397
N67-333	WBL428
N67-335	WBL372
N67-336	WBL486
N79-207	WBL335
N79-220	WBL373
N79-238	WBL419
N79-266	WBL375
N79-268	WBL395
N79-270	WBL438
N79-276	WBL478
N79-278	WBL343
N79-280	WBL356
N79-281	WBL381
N79-282	WBL385
N79-283	WBL394
N79-284	WBL415
N79-286	WBL475
N79-290	WBL354
N79-292	WBL404
N79-293	WBL408

Table 4—Continued

Old Name	New Name
N79-295	WBL428
N79-296	WBL447
N79-297	WBL477
N79-298	WBL368
N79-298	WBL368
N79-299	WBL374
N79-299	WBL374
S34-087	WBL008
S34-088	WBL017
S34-090	WBL020
S34-091	WBL026
S34-093	WBL062
S34-103	WBL713
S34-106	WBL731
S34-110	WBL009
S34-111	WBL025
S34-112	WBL724
S34-113	WBL038
S34-115	WBL007
S49-122	WBL015
S49-123	WBL017
S49-125	WBL044
S49-126	WBL050
S49-127	WBL075
S49-128	WBL083
S49-130	WBL686
S49-132	WBL698
S49-134	WBL706
S49-137	WBL717
S49-138	WBL726
S49-139	WBL727
S49-140	WBL061
S49-141	WBL063
S49-142	WBL099
S49-143	WBL695
S49-144	WBL702

Table 4—Continued

Old Name	New Name
S49-145	WBL066
S49-146	WBL688
S49-147	WBL009

^aCluster galaxies were too faint to be included in the WBL catalog.

^bCluster is too diffuse to meet the galaxy density criterion of the WBL catalog.

^cCluster is south of -3° declination, and therefore not included in the WBL catalog.




Fig. 1.— The location on the sky of all 732 WBL clusters (blue dots), and all Zwicky clusters (red circles) that contain a poor cluster. The size of the circle corresponds to the Zwicky radius from the CGCG (Table 2, column 9). The empty regions at positive declination are due to obscuration by the galactic plane.




Fig. 2.— The surface number density of all WBL clusters within Zwicky clusters, as a function of the Zwicky radius. WBL poor clusters tend to avoid the centers of Zwicky clusters.




Fig. 3.— The number of WBL clusters within Zwicky clusters. Approximately 40% of Zwicky clusters which possess WBL clusters contain multiple poor clusters.




Fig. 4.— The surface number density of all WBL clusters within Abell clusters, as a function of the Abell radius. Most WBL poor clusters are located near the centers of Abell clusters.




Fig. 5.— The number of WBL clusters within Abell clusters. Approximately 35% of Abell clusters which possess WBL clusters contain multiple poor clusters.




Fig. 6.— The relation used to estimate redshifts, z , from the apparent magnitude of the brightest cluster member, m_1 .




Fig. 7.— The volume density of WBL poor clusters in the galactic latitude range $|b| > 30^\circ$. We judge this poor cluster sample to be volume-limited in the redshift range $0.01 < z < 0.03$. Error bars represent Poisson errors in each bin.